

# TABLE OF CONTENTS

<b>Foreword</b> .....		iii
<b>Table of Contents</b> .....		v
<b>List of Figures</b> .....		x
<b>List of Tables</b> .....		xi
<b>CHAPTER 1</b>	<b>Introduction</b> .....	1
	<b>History of Asphalt Emulsion</b> .....	1
	<b>Asphalt Emulsions in Pavement Preservation</b> .....	2
<b>CHAPTER 2</b>	<b>Chemistry</b> .....	5
	<b>Composition of Asphalt Emulsions</b> .....	5
	<b>Asphalt Emulsion Classification</b> .....	5
	<b>Variables Affecting Emulsion Quality</b> .....	7
	<b>Emulsion Ingredients</b> .....	7
	Asphalt.....	8
	Water.....	8
	Emulsifying Agents .....	8
	<b>Producing the Emulsion</b> .....	10
	Emulsifying Equipment .....	10
	The Emulsifying Process.....	10
	<b>Breaking and Curing</b> .....	11
	Breaking .....	11
	Curing .....	12
	Factors Affecting Breaking and Curing .....	12
<b>CHAPTER 3</b>	<b>Storing, Handling, and Sampling</b> .....	13
	<b>Storing Asphalt Emulsions</b> .....	13
	<b>Handling Asphalt Emulsions</b> .....	14
	<b>Sampling Asphalt Emulsions</b> .....	16
	Sampling Precautions .....	16
	Protection and Preservation of Samples.....	17
	Safety Precautions.....	18

<b>CHAPTER 4</b>	<b>Testing</b> .....	19
	<b>Asphalt Emulsion</b> .....	19
	Particle Charge .....	19
	Viscosity .....	20
	Demulsibility .....	21
	Cement Mixing .....	21
	Classification of Cationic Rapid-Setting Emulsions.....	22
	Classification of Cationic Slow-Setting Emulsions .....	22
	Settlement and Storage Stability .....	22
	Oversized Particles (Sieve) .....	22
	Coating Ability and Water Resistance.....	23
	Density .....	23
	Residue and Oil Distillate by Distillation.....	23
	Residue by Evaporation.....	24
	Breaking Index.....	24
	<b>Residue Tests</b> .....	24
	Penetration.....	24
	Ductility.....	24
	Float Test.....	25
	Elastic Recovery.....	25
	Force Ductility .....	26
	Torsional Recovery.....	26
	Toughness and Tenacity .....	26
	Ring-and-Ball Softening Point.....	26
	Solubility .....	26
	Absolute Viscosity .....	27
<b>CHAPTER 5</b>	<b>Selecting the Right Type and Grade</b> .....	29
	<b>General Emulsion Uses</b> .....	29
	Rapid-Setting Emulsions.....	31
	Medium-Setting Emulsions.....	31
	Slow-Setting Emulsions .....	31
	Quick-Setting and Micro Surfacing Emulsions.....	31
	Guidelines for Successful Performance .....	32
<b>CHAPTER 6</b>	<b>Types of Surface Treatments</b> .....	33
	<b>Asphalt Surface Treatments</b> .....	33
	<b>Site Evaluation and Preparation</b> .....	35
	<b>Spray-Applied Seals</b> .....	36
	Fog Seal .....	36
	Rejuvenating Emulsion .....	36
	Dust Palliative .....	36

<b>Chip Seal</b> .....	36
Materials.....	37
Asphalt Emulsion .....	37
Aggregate.....	37
Chip Seal Design .....	38
<b>Supplemental Mix Design Tests</b> .....	40
Vialit Test .....	40
Sweep Test .....	40
<b>Equipment</b> .....	40
Distributor.....	40
Aggregate Spreader .....	43
Rollers .....	45
Cleaning Equipment .....	45
Trucks .....	45
<b>Construction</b> .....	46
Sequence of Operations .....	46
Transverse Joints.....	46
Longitudinal Joints.....	47
Precautions .....	47
Best Practices.....	47
Streaking .....	48
Bleeding.....	48
Loss of Cover Aggregate .....	49
<b>Sandwich Seal</b> .....	50
<b>Sand Seal</b> .....	50
<b>Dense-Graded Seal</b> .....	50
<b>Slurry Seal</b> .....	50
Materials.....	51
Aggregates .....	51
Asphalt Emulsion .....	51
Other Materials.....	51
Mix Design .....	52
Construction Process.....	52
Slurry Seal Machine .....	52
Placing the Mixture .....	53
Rolling.....	54
Curing/Traffic Control.....	54
<b>Micro Surfacing</b> .....	54
Materials.....	54
Equipment .....	55
Mixing Equipment.....	55
Spreading Equipment.....	55
Weather Limitations .....	57
Surface Preparation .....	57
Application .....	57
Joints.....	57
<b>Cape Seal</b> .....	57

<b>Emulsion-Aggregate Mixes</b> .....	59
<b>Asphalt Emulsion Mixtures for Base and Wearing Surfaces</b> .....	59
<b>Mix Design Methods</b> .....	60
Dense-Graded Aggregate Cold Mix Design .....	60
Aggregates .....	61
Asphalt Emulsions .....	61
Determination of Trial Emulsion Content .....	61
<b>Coating and Adhesion (Stripping) Testing</b> .....	61
Coating Testing Procedure .....	62
Adhesion (Stripping) Testing Procedure .....	62
<b>Preparation of Test Specimens</b> .....	62
Mixing Procedure .....	62
Compaction Procedure .....	63
<b>Testing of Compacted Specimens</b> .....	63
Volumetrics .....	64
Stability Testing .....	64
<b>Open-Graded Aggregate Cold Mix Design</b> .....	64
Preparation of Mixtures .....	64
Testing Procedures .....	65
Optimum Emulsion Content Determination .....	65
Final Results .....	65
<b>Aggregates</b> .....	66
<b>Additives</b> .....	67
<b>Production of Emulsion-Aggregate Mixtures</b> .....	67
Mixed-in-Place Process .....	68
Blade Mixing .....	68
Rotary/Reclaimer Mixing .....	69
Travel Plant Mixing .....	70
Placement and Compaction of In-Place Mixtures .....	70
Emulsion Central Plant Mix (Cold) .....	71
Mixing Plants .....	71
Laydown and Compaction .....	72
Precautions .....	72
Emulsion Central Plant Mix (Warm) .....	73
Materials .....	73
Mixing Plants .....	73
Mixing Temperature .....	73
Construction Methods .....	73
<b>Maintenance Mixtures</b> .....	74
Immediate Use Maintenance Mixes .....	74
Stockpile Maintenance Mixes .....	74
<b>Emulsion-Aggregate Mixes Using RAP</b> .....	74

<b>CHAPTER 8</b>	<b>Asphalt Pavement Recycling</b> .....	75
	<b>Types of Recycling</b> .....	76
	Cold Planing .....	76
	Hot Recycling.....	76
	Hot In-Place Recycling.....	76
	Cold Recycling .....	77
	Full-Depth Reclamation .....	77
	<b>Advantages</b> .....	78
	<b>Cold In-Place Recycling</b> .....	78
	Single-Unit Train .....	79
	Two-Unit Trains .....	79
	Multi-Unit Trains .....	80
	Placement of CIPR Materials .....	81
	<b>Full-Depth Reclamation</b> .....	81
<b>CHAPTER 9</b>	<b>Additional Applications</b> .....	83
	<b>Tack/Bond Coat</b> .....	83
	<b>Prime Coat</b> .....	84
	<b>Crack Filling</b> .....	85
	<b>Patching</b> .....	85
<b>APPENDIX A</b>	<b>Glossary</b> .....	87
	<b>Aggregate</b> .....	87
	<b>Asphalt</b> .....	87
	<b>Asphalt Emulsion</b> .....	88
	<b>Equipment</b> .....	88
	<b>Types of Asphalt Surface Treatments and Mixes</b> .....	89
<b>APPENDIX B</b>	<b>Miscellaneous Tables</b> .....	91
	<b>Table B-1: Temperature-Volume</b> <b>Corrections for Asphalt Emulsion</b> .....	91
	<b>Table B-2: Quantities at Depths in</b> <b>Cylindrical Tanks in a Horizontal Position</b> .....	92
	<b>Index</b> .....	93

# LIST OF FIGURES

<b>Figure 2.1</b>	Diagram of an Asphalt Emulsion Manufacturing Plant.....	10
<b>Figure 2.2</b>	Relative Sizes and Distribution of Asphalt Particles in an Emulsion ..	11
<b>Figure 4.1</b>	Particle Charge Test.....	20
<b>Figure 4.2</b>	Saybolt Furol Viscosity Apparatus.....	21
<b>Figure 4.3</b>	Distillation Test for Asphalt Emulsions.....	23
<b>Figure 4.4</b>	Float Test.....	25
<b>Figure 6.1</b>	Vacuum Broom.....	35
<b>Figure 6.2</b>	Rotary Power Broom.....	35
<b>Figure 6.3</b>	Asphalt Distributor.....	40
<b>Figure 6.4</b>	Proper Nozzle Angle Setting.....	41
<b>Figure 6.5</b>	Spray Bar Height Must Be Set for Proper Coverage.....	42
<b>Figure 6.6</b>	Tailgate Vane Spreader.....	43
<b>Figure 6.7</b>	Truck-Attached Mechanical Spreader.....	43
<b>Figure 6.8</b>	Self-Propelled Mechanical Spreader.....	44
<b>Figure 6.9</b>	Pneumatic-Tire Roller.....	45
<b>Figure 6.10</b>	Chip Seal Operation.....	46
<b>Figure 6.11</b>	Longitudinal Streaking.....	48
<b>Figure 6.12</b>	Bleeding (Flushing).....	49
<b>Figure 6.13</b>	Loss of Cover Aggregate.....	49
<b>Figure 6.14</b>	Slurry Seal Equipment.....	52
<b>Figure 6.15</b>	Slurry Mixer Unit Schematic.....	53
<b>Figure 6.16</b>	Continuous Laydown Micro Surfacing Unit.....	56
<b>Figure 6.17</b>	Rut-Filling Spreader Box.....	56
<b>Figure 7.1</b>	Optimum Emulsion Content Plot.....	65
<b>Figure 7.2</b>	Blade Mixing Operations.....	68
<b>Figure 7.3</b>	Rotary Mixer.....	69
<b>Figure 7.4</b>	Reclaimer Machine.....	69
<b>Figure 7.5</b>	Travel Plant.....	70
<b>Figure 7.6</b>	Cold Mix Continuous Plant.....	71
<b>Figure 8.1</b>	Candidate for Recycling.....	75
<b>Figure 8.2</b>	Loss of Curb Height/Reveal and Drainage Capacity.....	78
<b>Figure 8.3</b>	Single-Unit Train for Cold In-Place Recycling.....	79
<b>Figure 8.4</b>	Two-Unit Train for Cold In-Place Recycling.....	80
<b>Figure 8.5</b>	Multiple-Unit Train for Cold In-Place Recycling.....	80
<b>Figure 8.6</b>	Reclaimer Machine.....	82
<b>Figure 9.1</b>	Applying a Bond Coat.....	83
<b>Figure 9.2</b>	Spray-Injection Process.....	86

## LIST OF TABLES

<b>Table 1.1</b>	The Major Uses of Asphalt Emulsions.....	2
<b>Table 2.1</b>	ASTM and AASHTO Standardized Emulsion Grades.....	6
<b>Table 3.1</b>	Storage Temperatures for Asphalt Emulsions.....	14
<b>Table 3.2</b>	Condition of Transport Containers Before Loading .....	15
<b>Table 3.3</b>	Causes of Contamination During Transport.....	15
<b>Table 3.4</b>	Causes of Contamination at Job Site .....	15
<b>Table 3.5</b>	Causes of Non-Representative Samples.....	17
<b>Table 5.1</b>	General Uses of Asphalt Emulsion .....	30
<b>Table 6.1</b>	Asphalt Emulsion Surface Treatments .....	34
<b>Table 6.2</b>	Quantities of Emulsion and Aggregate for Single Surface Treatment .....	38
<b>Table 6.3</b>	Correction for Surface Condition .....	39
<b>Table 6.4</b>	Quantities of Asphalt and Aggregate for Double Surface Treatment .....	39
<b>Table 6.5</b>	Quantities of Asphalt and Aggregate for Triple Surface Treatment.....	39
<b>Table 6.6</b>	Slurry Seal Aggregate Gradations.....	51
<b>Table 6.7</b>	Micro Surfacing Aggregate Gradations.....	55
<b>Table 6.8</b>	Quantities of Emulsion and Aggregate for Cape Seal .....	57
<b>Table 7.1</b>	Major Uses of Asphalt Emulsion Mixtures.....	59
<b>Table 7.2</b>	Aggregates for Dense-Graded Emulsion Mixtures .....	66
<b>Table 7.3</b>	Aggregates for Sand Emulsion Mixtures .....	66
<b>Table 7.4</b>	Aggregates for Open-Graded Emulsion Mixtures .....	67
<b>Table 7.5</b>	Aggregate Physical Properties.....	67
<b>Table 8.1</b>	Materials Evaluation Procedures— Cold In-Place Recycling and Full-Depth Reclamation.....	77

**A**

**Absolute viscosity test (ASTM D4957 and AASHTO T 202),**  
27

**Additives, in emulsion mixtures,** 67

**Adhesion (stripping) testing procedure,** 62

**Aggregates**

cape seal, 57

chip seal, 37–38

dense-graded, 61

for dense-graded emulsion mixtures, 66

for double surface treatments, 39

micro surfacing gradations, 55

for open-graded emulsion mixtures, 67

physical properties, 67

for sand emulsion mixtures, 66

for single surface treatments, 38

for slurry seal gradation, 51  
sizes appropriate for spray injection, 86

spreaders, 43–44

for triple surface treatments, 39

**American Association of State Highway and Transportation Officials (AASHTO)**

AASHTO 6, 51

AASHTO T 11, 77

AASHTO T 27, 77

AASHTO T 40, 16

AASHTO T 44, 26

AASHTO T 49, 24, 77

AASHTO T 50, 25

AASHTO T 51, 24

AASHTO T 53, 26

AASHTO T 59, 19

AASHTO T 89/90, 77

AASHTO T 96, 54

AASHTO T 104, 54

AASHTO T 164, 77

AASHTO T 170, 77

AASHTO T 176, 51, 54, 77

AASHTO T 202, 27

AASHTO T 202/320, 77

AASHTO T 245, 60

AASHTO T 300, 26

AASHTO T 301, 25

standardized emulsion grade, 6

**American Society for Testing and Materials (ASTM)**

ASTM C 88, 54

ASTM C 117, 77

ASTM C 131, 51, 54

ASTM C 136, 77

ASTM C 2419, 51

ASTM C 3910, 52

ASTM D 5, 24, 77

ASTM D 36, 26

ASTM D 113, 24

ASTM D 139, 25

ASTM D 140, 16

ASTM D 244, 19–24

ASTM D 1856/5404, 77

ASTM D 2171, 77

ASTM D 2172, 77

ASTM D 2419, 54, 77

ASTM D 2489, 73

ASTM D 4318, 77

ASTM D 4957, 27

ASTM D 6084, 25

ASTM D 6926, 60

ASTM D 6927, 60

ASTM D 6930, 22

ASTM D 6933, 22

ASTM D 6934, 24

ASTM D 6935, 21

ASTM D 6937, 23

ASTM D 6997, 23, 61

ASTM D 7000, 38

ASTM D 7229, 60

standardized emulsion grade, 6

**Amidoamines,** 9

**Amine hydrochloride emulsifiers,** 8

**Amines,** 9, 11

**Anionic emulsifiers,** 9

guidelines for loading emulsions, 15

**Anionic surfactants,** 9

**Antistrips,** 5

**Asphalt cement,** 1, 8

**Asphalt emulsion**

anionic and cationic classes, 5–6

breaking mechanism, 11–12

classification of, 5–7

composition of, 5

curing mechanism, 12

droplets of, characteristics, 1

emulsification process, 10–11

emulsifying process, 10–11

factors affecting quality, 7

general uses, 29–30

handling of, 14–15

history, 1–2

ingredients, 7–9

making of, 10–11

mixtures. *See* **Emulsion mixtures**

in pavement preservation, 2–3

production equipment, 10

recycling, 2

sampling of, 15–17

slurry seal, 51

storing, 13–14

storing of, 13

testing. *See* **Testing, of asphalt emulsion**

treatments. *See* **Surface treatments, with asphalt emulsions**

types and grades, 1

used for paving, 1

used in United States, 1

and use of impure water, 8

use of surfactants in

production, 9

uses, 2

variable affecting quality, 7

**Asphalt emulsion prime (AEP),**  
84

**Asphalt in Pavement Maintenance, Manual Series No. 16 (MS-16),** 85

**Asphalt pavement recycling**

benefits, 78

cold in-place recycling (CIPR) process, 78–81

factors considered, 75

full-depth reclamation (FDR) process, 81–82

identifying the candidate, 75  
types, 76–77

**Asphalt Recycling and Reclaiming Association (ARRA)**, 76

**Atmospheric pollution and asphalt emulsions**, 2

## **B**

**Basic Asphalt Recycling Manual (BARM)**, 77

**Batch mixing tank**, 11

**Blade mixing**, 68

**Bleeding/flushing**, 48

**Bond coat**, 30, 83–84

**Break control agents**, 5

**Breaking index test**, 24

**Breaking mechanism**

defined, 11

factors affecting, 12

## **C**

**Calcium chloride**, 8, 21

**California test 332**, 26

**Candidate, for recycling**, 75

**Cape seal**, 2, 30, 57

**Cationic emulsified asphalts**, 8

guidelines for loading emulsions, 15

oversized particle test, 22

production of, 9

specifications, 7

**Cationic rapid-setting emulsion (ASTM D 244)**, 22

**Cationic slow-setting emulsion (ASTM D 244)**, 22

**Cationic surfactants**, 9

**Cement mixing test (ASTM D 244, D 6935)**, 21

**Central plant mix asphalt recycling**, 2

**Chemical compatibility, of emulsifying agent, significance**, 8

**Chip seal**, 2

aggregates, 37–38

benefits, 35–36

best practices, 47

bleeding/flushing, 48

design, 38

longitudinal joints, 47

loss of aggregate under traffic leaves, 49

materials, 37

precautions, 47

sequence of operations, 46

streaking, 48

transverse joints, 46–47

**Circulating system**, 41

**Cleaning equipment**, 45

**CMS-2 grade emulsions**, 30, 73, 86

**CMS-2h grade emulsions**, 30, 73

**CMS-2s grade emulsions**, 7

**Coating ability and water resistance test (ASTM D 244)**, 23

**Coating improvers**, 5

**Coating testing procedure**, 62

**Cold in-place recycling (CIPR) process**, 2, 77–81

**Cold-planing, of surfaces**, 76

**Colloid mill**, 9–10

**Compacted specimens, testing of**, 63–64

**Compaction**

laydown and, 72

procedure, 63

**Construction**

best practices, 47

bleeding, 48

longitudinal joints, 47

loss of cover aggregate, 49

precautions, 47

sequence of operations, 46

for slurry seal, 52–54

streaking, 48

transverse joints, 46

**Contamination, causes**

at job site, 15

during transport, 15

**Corrosion resistant materials**, 10

**CQS-1H grade emulsions**, 14, 30, 84

**Crack filling**, 30, 85

**CRS-1 grade emulsions**, 30, 84

**CRS-2 grade emulsions**, 30–31, 86

**CRS-2h grade emulsions**, 30

**Crude petroleum and asphalt**, 8

**CSS-1 grade emulsions**, 30, 84

**CSS-1h grade emulsions**, 7, 30, 60, 84

**Curing mechanism**

defined, 12

factors affecting, 12

**Cutback asphalt**, 1, 15, 74

**Cylindrical tanks, capacity level of**, 92

## **D**

**Demulsibility test**, 21

**Dense-graded aggregate cold mix design**

aggregates, 61

compaction procedure, 63

determination of content of a mixture, 61

testing, 63–64

types of asphalt emulsions, 61

**Dense-graded aggregate-emulsion bases**, 31

**Dense-graded seal emulsion grades**, 50

**Density test (ASTM D 244, D 6937)**, 23

**Diamines**, 9

**Dispersion, asphalt, factors in**, 5

**Distillation test (ASTM D 244, D 6997)**, 23

**Distributor**, 40–42

**Distributor application rates, estimation of**, 42

**Dos and donts, in storing, of emulsified asphalts**, 13

**Drags**, 54

**Ductility test (ASTM D 113 and AASHTO T 51)**, 24

**Durability, of asphalt cement**, 5

**Dust palliatives**, 30–31, 36

## **E**

**Elastic recovery test (ASTM D 6084 and AASHTO T 301)**, 25

**Emulsification process**, 10–11

**Emulsifier/asphalt/water system, chemistry of**, 1

**Emulsifier solution tank**, 10

**Emulsifying agents**, 8–9

**Emulsifying equipment**, 10

**Emulsifying process**, 10

**Emulsion-aggregate mixes using RAP**, 74

**Emulsion central plant mix (cold)**, 71–72

**Emulsion central plant mix (warm)**, 73

**Emulsion mixtures**, 11

additives, 67

and aggregates, 66–67

for base and wearing surfaces, 59–60

coating and adhesion test, 61–62

dense-graded, 60–61  
 for maintenance, 74  
 medium-setting, 31  
 micro surfacing, 31  
 mix design methods, 60–61  
 open-graded mixtures using aggregates, 64–66  
 preparation of specimens, 62–63  
 production methods, 67–73  
 quick-setting, 31  
 rapid-setting, 31  
 slow-setting, 31  
 testing of specimens, 63–64  
 trial, determination of, 61  
 uses, 59  
 using reclaimed asphalt pavement (RAP), 74

**Emulsion quality, variables affecting, 7**

**Evaporation procedure (ASTM D 244, D 6934), 24**

## F

**Face shields, 18**

**Fatty acids, 9, 11**

**Fatty quaternary ammonium salts, 9**

**Feed rollers, 43**

**Float test (ASTM D 139 and AASHTO T 50), 25**

**Flow-metering gauges, 10**

**Fog seal, 2, 30–31, 34, 36, 72, 81**

**Force ductility test (AASHTO T 300), 26**

**Full-depth reclamation (FDR) process, 2, 77, 81–82**

## G

**Gloves, safety, 18**

**Grade and type, of emulsion based on uses, 29–32 considerations, 29 general guidelines, 29, 32**

## H

**Handling, of asphalt emulsions causes and precautions of contamination at job site, 15 causes and precautions of contamination during transportation, 15**

condition of transport  
 containers before loading, 15  
 dos and don'ts, 14

**Hardness, of base asphalt cements, 8**

**Heated asphalt tank, 10**

**Heater-scarification, 76**

**HFMS-1 grade emulsions, 30**

**HFMS-2 grade emulsions, 30, 73, 86**

**HFMS-2h grade emulsions, 30, 73**

**HFMS-2s grade emulsions, 30**

**HFRS-2 grade emulsions, 30–31, 86**

**HFRS-2h grade emulsions, 30**

**HMA pavements, 57, 75**

**Hoppers, 43–44**

**Hot in-place asphalt recycling, 2, 76**

**Hot mix asphalt (HMA), production of, 1**

**Hot recycling, 76**

## I

**Imidazolines, 9**

**In-place mixtures, 70–71**

**International Slurry Surfacing Association's "Recommended Performance Guide for Micro-Surfacing, A143", 55**

## K

**Kerosene, 1**

## L

**Laboratory tests, for asphalt emulsion, 19**

**Longitudinal joints, 47**

**Longitudinal streaking, 48**

**Los Angeles abrasion loss, 54**

**Loss of cover aggregate, 49**

## M

**Maintenance mixtures, 74**

**Marshall mixing method, 60**

**Marshall stability testing, 64**

**Mechanical forces, impact on breaking/curing mechanism, 12**

**Medium-setting emulsions, 61 grades, 31**

**Micro surfaced pavement, 31**

**Micro surfacing, 2, 54–57 application, 57 equipment, 55 emulsions, 7, 31 joints, 57 materials, 54 surface preparation, 57 weather limitations, 57**

**Minimum mixing temperature, 73**

**Mixed-in-place process, 68**

**Mixing plant, 73**

**Moisture content, impact on breaking/curing mechanism, 12**

**MS emulsion, 6**

**MS-1 grade emulsions, 30**

**MS-2 grade emulsions, 30, 86**

**MS-2h grade emulsions, 30**

**Multi-unit train, 80–81**

## N

**Naphtha, 1**

**Nonionic surfactants, 5, 9**

**Nozzle angle setting, 41**

## O

**Open-graded aggregate cold mix design aggregates for, 67 optimum emulsion content determination, 65 preparation of mixtures, 64 testing, 65**

**Optimum emulsion content, 64–65**

**Oversized particles test (ASTM D 244, D 6933), 22**

## P

**Particle charge test (ASTM D 244), 19–20**

**Patching, 85–86**

**Pavement preservation program, 2–3**

**Penetrating emulsion prime (PEP), 84**

**Penetration test (ASTM D 5, AASHTO T 49), 24**

**Petroleum solvent, impact on curing mechanism**, 12  
**Pneumatic-rubber tire rollers**, 45  
**Polymer-modified cationic emulsified asphalt**, 6  
**Polymer-modified medium-setting emulsions**, 31  
**Polymer-modified rapid-setting emulsions**, 31  
**Polymer-modified slow-setting emulsions**, 31  
**Portland cement (Type III)**, 21  
**Power sweepers or brooms**, 45  
**Prime coat**, 30, 84  
**Propellers**, 13  
**Pumps**, 10

## **Q**

**QS emulsions**, 6  
**Quick-setting emulsion grades**, 31

## **R**

**Rapid-setting emulsion grades**, 31  
**Reclaimed asphalt pavement (RAP)**, 76, 79–81  
**Recycling**  
  advantages, 78  
  cold, 77  
  cold in-place, 78–81  
  cold planing, 76  
  full-depth reclamation, 77, 81  
  hot, 76  
  hot in-place, 76  
  types of, 76–77  
**Rejuvenating emulsion**, 36  
**Remixing process**, 76  
**Repaving process**, 76  
**Residue tests**  
  absolute viscosity test (ASTM D4957 and AASHTO T 202), 27  
  ductility test (ASTM D 113 and AASHTO T 51), 24  
  elastic recovery test (ASTM D 6084 and AASHTO T 301), 25  
  float test (ASTM D 139 and AASHTO T 50), 25  
  force ductility test (AASHTO T 300), 26

  penetration test (ASTM D 5, AASHTO T 49), 24  
  ring-and-ball softening point test (ASTM D 36 and AASHTO T 53), 26  
  penetration test (ASTM D 5, AASHTO T 49), 24  
  solubility test (ASTM D 2042, AASTO T 44), 26  
  torsional recovery test (California test 332), 26  
  toughness and tenacity test, 26

**Ring-and-ball softening point test (ASTM D 36 and AASHTO T 53)**, 26  
**Rollers**, 45, 70, 72, 81–82  
**Rolling, of slurry seals**, 54  
**Rotary/reclaimer mixing**, 69  
**RS-1 grade emulsions**, 30, 84  
**RS-2 grade emulsions**, 30–31, 86

## **S**

**Safety precautions, with sampling of emulsions**, 18  
**Sample thief**, 17  
**Sampling method, for asphalt emulsion**  
  causes of non-representative samples, 17  
  containers, 16  
  precautions, 16, 18  
  protection and preservation of, 17  
  shipment of, 16  
**Sand emulsion mixtures, aggregates for**, 66  
**Sand equivalent value**, 51  
**Sand seal**, 2, 30, 50  
**Sandwich seal**, 30, 50  
**Sandy soil**, 28  
**Saybolt Furol viscosity test (ASTM D 244)**, 20–21  
**Scrub seal**, 2  
**Self-propelled spreader**, 43–44  
**Settlement test**, 22  
**Single surface treatments, aggregates for**, 38  
**Single-unit train**, 79  
**Skinning**, 13  
**Slow-setting emulsions**, 61  
  grades, 31  
**Slow-setting slurry seal emulsions**, 31

**Slurry seal**, 2, 30, 50–54  
  aggregate gradations, 51  
  asphalt emulsion, 51  
  construction process, 52–54  
  curing, 54  
  machine, 52  
  materials, 51  
  mix design, 52  
  placing the mixture, 53  
  rolling, 54  
  traffic control, 54

**Sodium dioctyl sulfosuccinate solution**, 21

**Sodium hydroxide**, 9  
**Soil-asphalt stabilization**, 31  
**Solubility test (ASTM D 2042, AASTO T 44)**, 26  
**Spray-applied seals**, 36–39  
**Spray-injection procedure**, 86  
**Spreaders, aggregates for**, 43–44

**SS emulsions**, 6  
**SS-1 grade emulsions**, 30, 84  
**SS-1h grade emulsions**, 30, 84  
**Stability testing of compacted specimens**, 64

**Stabilizers**, 5  
**Steel-wheel rollers**, 45, 70  
**Stockpile maintenance mixes**, 74

**Storage stability and settlement tests (ASTM D 244, D 6930)**, 22

**Storage tanks, for emulsions**, 13, 92

**Storage temperatures, for asphalt emulsions**, 14

**Storing, of emulsified asphalts**  
  dos and don'ts, 13  
  insulation of tanks, 13  
  prevention of skinning, 13

**Streaking**, 48  
**Superpave mixing method**, 60

**Surface area, impact on breaking/curing mechanism**, 12

**Surface chemistry, impact on breaking/curing mechanism**, 12

**Surface tension, effect on asphalts**, 11

**Surface treatments, with asphalt emulsions**, 34  
  benefits, 33–34  
  cape seal, 57

chip seal, 36–49  
correction for surface condition, 39  
dust palliative, 36  
equipment, 40–45  
fog seal, 36  
micro surfacing, 54–57  
quantities of emulsion and aggregate for double, 39  
quantities of emulsion and aggregate for single, 38  
quantities of emulsion and aggregate for triple, 39  
rejuvenating emulsions, 36  
sand seal, 50  
sandwich seal, 50  
slurry seal, 50–54  
specific functions of, 33–34  
supplemental mix design tests, 40  
surface evaluation and preparation, 34–35

#### **Surfactants, 9**

effect on asphalt droplets, 11

#### **Sweep test (ASTM D 7000), 40**

### **T**

**Tachometer, 41, 44**

**Tack coat, 30, 57, 83–84**

**Tailgate vane spreader, 43**

**Temperature, for aggregate coating, 86**

**Temperature-volume corrections, for asphalt emulsion, 91**

#### **Testing, of asphalt emulsion**

absolute viscosity (ASTM D 4957 and AASHTO T 202), 27

breaking index test, 24

cationic rapid-setting emulsion (ASTM D 244), 22

cationic slow-setting emulsion (ASTM D 244), 22

cement mixing test (ASTM D 244, D 6935), 21

coating ability and water resistance test (ASTM D 244), 23

demulsibility test (ASTM D 244, D 6936), 21

density test (ASTM D 244, D 6937), 23

distillation test (ASTM D 244, D 6997), 23

ductility test (ASTM D 113 and AASHTO T 51), 24

elastic recovery (ASTM D 6084 and AASHTO T 301), 25

evaporation procedure (ASTM D 244, D 6934), 24

float test (ASTM D 139 and AASHTO T 50), 25

force ductility (AASHTO T 300), 26

oversized particles test (ASTM D 244, D 6933), 22

particle charge test (ASTM D 244), 19

penetration (ASTM D 5 and AASHTO T 49), 24

residue and oil distillate by distillation testing (ASTM D 244, D 6997), 23

residue by evaporation (ASTM D 244, D 6934), 24

residue tests, 24–27

ring-and-ball softening point (ASTM D 36 and AASHTO T 53), 26

Saybolt Furol viscosity test (ASTM D 244), 20

settlement and storage stability test, 22

solubility (ASTM D 2042, AASTO T 44), 26

storage stability and settlement tests (ASTM D 244, D 6930), 22

torsional recovery (California Test 332), 26

toughness and tenacity, 26

viscosity, 20

**Torsional recovery test (California test 332), 26**

**Toughness and tenacity test, 26**

**Travel plant mixing, 70**

**Triple surface treatments, aggregates for, 39**

**Truck-mounted mechanical spreaders, 43–44**

**Trucks, 45**

**Two-unit train, 79–80**

### **V**

**Vacuum sweeper, 45–46**

**Vialit test, 40**

**Viscosity test, 20, 27**

**Voids in mineral aggregate (VMA), 63**

**Volumetrics, of mixtures, 64**

### **W**

**Water, as ingredient in asphalt emulsion, 5, 8**

**Water absorption, impact on breaking/curing mechanism, 12**

**Water resistance, of asphalt cement, 5**

**Water resistance testing, 23**

**Weather conditions, impact on breaking/curing mechanism, 12**