

# Table of Contents

Foreword . . . . .	iii
Acknowledgments . . . . .	v
Table of Contents . . . . .	vii
List of Illustrations . . . . .	xix
List of Tables . . . . .	xxix
<b>CHAPTER 1 INTRODUCTION TO ASPHALT . . . . .</b>	<b>1</b>
<b>1.1 HISTORICAL REVIEW . . . . .</b>	<b>3</b>
1.1.1 Background . . . . .	3
1.1.2 Historical Milestones . . . . .	5
<b>1.2 ASPHALT CEMENT . . . . .</b>	<b>7</b>
<b>1.3 TYPES OF ASPHALT PAVEMENT CONSTRUCTION . . . . .</b>	<b>10</b>
1.3.1 Plant Mix . . . . .	10
1.3.2 Surface Treatments . . . . .	12
<b>1.4 DESIGN OF ASPHALT PAVEMENTS . . . . .</b>	<b>13</b>
1.4.1 Basic Concepts . . . . .	13
1.4.2 Surface Course . . . . .	14
1.4.3 Base and Subbase Layers . . . . .	15
1.4.4 Determining Required Pavement Thickness . . . . .	15
1.4.5 Stage Construction . . . . .	16
<b>1.5 OVERVIEW OF THE HANDBOOK . . . . .</b>	<b>18</b>
<b>CHAPTER 2 PETROLEUM ASPHALT . . . . .</b>	<b>21</b>
<b>2.1 REFINING AND PROPERTIES OF ASPHALT BINDERS . . . . .</b>	<b>23</b>
2.1.1 Introduction . . . . .	23
2.1.2 Refining Crude Petroleum . . . . .	23
2.1.3 Characteristics of Asphalt Binders . . . . .	26
<b>2.2 HISTORICAL PERSPECTIVE: ASPHALT CEMENT . . . . .</b>	<b>28</b>
2.2.1 Introduction . . . . .	28
2.2.2 Tests for Asphalt Cements . . . . .	28
2.2.3 Specifications for Asphalt Cements . . . . .	39
<b>2.3 DOMINANT PRACTICE: PERFORMANCE GRADED (PG) ASPHALT BINDER . . . . .</b>	<b>44</b>
2.3.1 Introduction . . . . .	44
2.3.2 Asphalt Behavior . . . . .	44
2.3.3 PG Asphalt Binder Tests . . . . .	47
2.3.4 PG Asphalt Binder Specification . . . . .	63
<b>2.4 EMULSIFIED AND CUTBACK ASPHALTS . . . . .</b>	<b>69</b>
2.4.1 Introduction . . . . .	69
2.4.2 Tests for Emulsified Asphalts . . . . .	72
2.4.3 Specifications for Emulsified Asphalts . . . . .	77
2.4.4 Tests for Cutback Asphalts . . . . .	78
2.4.5 Specifications for Cutback Asphalts . . . . .	81

<b>2.5</b>	<b>AIR-BLOWN ASPHALTS . . . . .</b>	<b>83</b>
2.5.1	Introduction . . . . .	83
2.5.2	Properties, Specifications, and Tests . . . . .	83
<b>2.6</b>	<b>ASPHALT MODIFICATION AND ADDITIVES . . . . .</b>	<b>86</b>
2.6.1	Reasons for Using Additives and Modification . . . . .	86
2.6.2	Types of Modifiers and Additives . . . . .	86
2.6.3	Additional Tests for Modified Asphalt Binders . . . . .	92
<b>2.7</b>	<b>SUPPLEMENTARY ASPHALT TOPICS . . . . .</b>	<b>99</b>
2.7.1	Control of Asphalt Temperatures. . . . .	99
2.7.2	Asphalt Sampling . . . . .	101
2.7.3	Temperature-Volume Relationship. . . . .	102
2.7.4	Frequently Asked Asphalt Questions. . . . .	106
<b>2.8</b>	<b>SAFETY PROCEDURES FOR HOT ASPHALT BINDER. . . . .</b>	<b>107</b>
 <b>CHAPTER 3 MINERAL AGGREGATES AND MIXTURE ADDITIVES . . . . .</b>		 <b>109</b>
<b>3.1</b>	<b>AGGREGATES FOR HOT MIX ASPHALT (HMA) . . . . .</b>	<b>111</b>
3.1.1	Introduction . . . . .	111
3.1.2	Origin of Rocks . . . . .	111
3.1.3	Sources of Aggregates . . . . .	113
3.1.4	Aggregate Production . . . . .	117
3.1.5	Aggregate Properties . . . . .	119
<b>3.2</b>	<b>COMPOSITE AGGREGATE ANALYSIS. . . . .</b>	<b>134</b>
3.2.1	Introduction . . . . .	134
3.2.2	Gradation. . . . .	134
<b>3.3</b>	<b>RECLAIMED ASPHALT PAVEMENT. . . . .</b>	<b>147</b>
3.3.1	Introduction . . . . .	147
3.3.2	Reclaiming Existing Pavements . . . . .	147
<b>3.4</b>	<b>AGGREGATE ADDITIVES . . . . .</b>	<b>152</b>
3.4.1	Introduction . . . . .	152
3.4.2	Mineral Filler . . . . .	152
3.4.3	Antistrip Additives . . . . .	154
3.4.4	Other Additives . . . . .	155
 <b>CHAPTER 4 HOT MIX ASPHALT (HMA) DESIGN. . . . .</b>		 <b>159</b>
<b>4.1</b>	<b>DENSE-GRADED ASPHALT PAVEMENT MIX DESIGN . . . . .</b>	<b>161</b>
4.1.1	Introduction . . . . .	161
4.1.2	Desired Properties Considered for Mix Design . . . . .	163
4.1.3	Hot Mix Asphalt Mixture Behavior . . . . .	167
4.1.4	Objectives and Applications of HMA Testing . . . . .	170
<b>4.2</b>	<b>VOLUMETRIC CALCULATIONS . . . . .</b>	<b>172</b>
4.2.1	Introduction . . . . .	172
4.2.2	Definitions . . . . .	172
4.2.3	Analyzing a Compacted Pavement Mixture . . . . .	173
<b>4.3</b>	<b>SUPERPAVE HMA MIX DESIGN SYSTEM . . . . .</b>	<b>186</b>
4.3.1	Introduction . . . . .	186
4.3.2	Materials Selection . . . . .	186

4.3.3	Design Aggregate Structure . . . . .	188
4.3.4	Design Asphalt Binder Content . . . . .	194
4.3.5	Steps that Can Be Taken to Adjust Properties . . . . .	194
4.3.6	Moisture Sensitivity . . . . .	196
<b>4.4</b>	<b>MARSHALL METHOD OF MIX DESIGN . . . . .</b>	<b>198</b>
4.4.1	Introduction and Historical Context . . . . .	198
4.4.2	Description of Method . . . . .	198
4.4.3	Mix Design Criteria . . . . .	201
<b>4.5</b>	<b>HVEEM METHOD OF MIX DESIGN . . . . .</b>	<b>204</b>
4.5.1	Introduction and Historical Context . . . . .	204
4.5.2	Description of Method . . . . .	204
4.5.3	Mix Design Criteria . . . . .	205
<b>4.6</b>	<b>RAP MIX DESIGN . . . . .</b>	<b>210</b>
4.6.1	Materials Evaluation . . . . .	210
4.6.2	Mix Design . . . . .	213
<b>4.7</b>	<b>AGGREGATE PACKING ANALYSIS USING THE BAILEY METHOD . . . . .</b>	<b>215</b>
<b>4.8</b>	<b>SPECIALIZED ASPHALT MIXTURES . . . . .</b>	<b>217</b>
4.8.1	Stone Matrix Asphalt Mix . . . . .	217
4.8.2	Open-Graded Friction Course . . . . .	223
4.8.3	Asphalt-Treated Permeable Base . . . . .	228
<b>4.9</b>	<b>PERFORMANCE TESTING OF HMA . . . . .</b>	<b>230</b>
4.9.1	Introduction . . . . .	230
4.9.2	Modulus Testing . . . . .	230
4.9.3	Creep Testing . . . . .	232
4.9.4	Flexural Fatigue Test . . . . .	234
4.9.5	Empirical Tests . . . . .	236
4.9.6	Wheel-Tracking Tests . . . . .	237
<b>4.10</b>	<b>MIX SELECTION . . . . .</b>	<b>242</b>
4.10.1	Pavement Layers and Traffic Levels . . . . .	242
4.10.2	Dense Graded Mixes . . . . .	243
4.10.3	Determining the Appropriate Mix Type . . . . .	244
<b>CHAPTER 5 SOILS AND DRAINAGE FOR ASPHALT PAVEMENTS . . . . .</b>		<b>247</b>
<b>5.1</b>	<b>SOIL-SUBGRADE CLASSIFICATION SYSTEMS . . . . .</b>	<b>249</b>
5.1.1	Introduction . . . . .	249
5.1.2	Objectives for Classifying Subgrade . . . . .	249
5.1.3	Classification Systems . . . . .	249
<b>5.2</b>	<b>METHODS FOR EVALUATING SUBGRADE STRENGTH AND STIFFNESS . . . . .</b>	<b>251</b>
5.2.1	Introduction . . . . .	251
5.2.2	Laboratory Test Methods . . . . .	252
5.2.3	Field Test Procedures . . . . .	263
5.2.4	Strength Correlations . . . . .	269

<b>5.3</b>	<b>DRAINAGE OF ASPHALT PAVEMENT STRUCTURES . . . . .</b>	<b>270</b>
5.3.1	Introduction . . . . .	270
5.3.2	Surface Drainage . . . . .	271
5.3.3	Design for Large Paved Areas . . . . .	273
5.3.4	Subsurface Drainage . . . . .	274
5.3.5	Geosynthetic Fabrics . . . . .	278
<b>CHAPTER 6 THICKNESS DESIGN . . . . .</b>		<b>281</b>
<b>6.1</b>	<b>INTRODUCTION . . . . .</b>	<b>283</b>
6.1.1	Design Principles . . . . .	284
6.1.2	Input Variables . . . . .	287
6.1.3	Highways, Roadways, and Streets . . . . .	289
6.1.4	Airports . . . . .	291
6.1.5	Heavy Wheel Loads . . . . .	293
6.1.6	Planned Stage Construction . . . . .	295
6.1.7	Overlay Design . . . . .	295
<b>6.2</b>	<b>RELATIONSHIP TO OTHER DESIGN METHODS . . . . .</b>	<b>297</b>
6.2.1	Empirical Methods . . . . .	297
6.2.2	Mechanistic-Empirical Methods . . . . .	297
6.2.3	The Perpetual Pavement Method . . . . .	298
<b>6.3</b>	<b>DESIGN MANUALS AND SOFTWARE . . . . .</b>	<b>302</b>
6.3.1	SW-1 Asphalt Pavement Thickness Design Software . . . . .	304
<b>CHAPTER 7 MANUFACTURE OF HOT MIX ASPHALT . . .</b>		<b>307</b>
<b>7.1</b>	<b>TYPES OF PLANT FACILITIES/PRODUCTION PROCESSES . . . . .</b>	<b>309</b>
7.1.1	Batch Facilities . . . . .	309
7.1.2	Drum-Mix Facilities . . . . .	311
<b>7.2</b>	<b>EQUIPMENT COMMON TO BOTH TYPES OF FACILITIES . . . . .</b>	<b>313</b>
7.2.1	Liquid Asphalt Storage . . . . .	313
7.2.2	Aggregate Stockpiling . . . . .	315
7.2.3	Virgin Aggregate and RAP Cold-Feed Bins . . . . .	317
7.2.4	Aggregate and RAP Transfer Conveyors . . . . .	318
7.2.5	Aggregate Dryer . . . . .	319
7.2.6	Dust Collection Equipment . . . . .	322
7.2.7	Dust-Return Equipment . . . . .	325
7.2.8	Mineral Filler Additive Storage and Feed Silos . . . . .	327
7.2.9	Lime Additive Bulk Storage and Feed Silos . . . . .	328
7.2.10	Fiber Additive Equipment . . . . .	329
7.2.11	Finished Product Storage Silos and Load-Out Equipment . . . . .	329
<b>7.3</b>	<b>THE BATCH PLANT PRODUCTION PROCESS . . . . .</b>	<b>332</b>
7.3.1	Aggregate Gradation Control with a Batch Plant . . . . .	332
7.3.2	Asphalt Content Control with a Batch Plant . . . . .	336

7.3.3	Mixing/Coating with a Batch Plant . . . . .	337
7.3.4	Recycled Mix Production with a Batch Plant . . . . .	338
<b>7.4</b>	<b>THE DRUM-MIX PRODUCTION PROCESS . . . . .</b>	<b>340</b>
7.4.1	The Development of the Drum-Mix Process . . . . .	340
7.4.2	Aggregate Gradation Control in a Drum-Mixer . . . . .	342
7.4.3	Asphalt Content Control in a Drum-Mixer . . . . .	345
7.4.4	Mixing/Coating with a Drum/Continuous Plant . . . . .	347
7.4.5	Recycled Mix Production with a Drum-Mixer . . . . .	348
<b>7.5</b>	<b>MIX DEFICIENCIES AND PROBLEM SOLVING . . . . .</b>	<b>350</b>
7.5.1	Drum-Mix Production Problem-Solving Guide . . . . .	350
7.5.2	Batch-Plant Production Problem-Solving Guide . . . . .	353
<b>CHAPTER 8 HOT MIX ASPHALT PAVING . . . . .</b>		<b>357</b>
<b>8.1</b>	<b>PRE-PAVING CONFERENCE . . . . .</b>	<b>359</b>
<b>8.2</b>	<b>PREPARING THE SURFACE FOR PAVING . . . . .</b>	<b>360</b>
8.2.1	Surface Preparation and Protection . . . . .	360
8.2.2	Preparation of Existing Pavement for Overlay . . . . .	362
8.2.3	Horizontal and Vertical Grade Control . . . . .	362
8.2.4	Prime Coats and Tack Coats . . . . .	363
<b>8.3</b>	<b>DELIVERY OF HMA . . . . .</b>	<b>366</b>
8.3.1	Types of Haul Trucks . . . . .	366
8.3.2	Delivery of HMA to the Paver . . . . .	370
8.3.3	Control of Material Surge in Front of Paver . . . . .	370
8.3.4	Load Tickets . . . . .	374
8.3.5	Visual Inspection of the HMA . . . . .	375
<b>8.4</b>	<b>PAVING EQUIPMENT . . . . .</b>	<b>376</b>
8.4.1	Asphalt Paving Machine—Basics . . . . .	377
8.4.2	Types of Tractors . . . . .	379
8.4.3	Screeds . . . . .	381
8.4.4	Automatic Screed Controls (Types and Operational Differences) . . . . .	388
8.4.5	Leveling Effect of the Paver and the Free-Floating Screed . . . . .	392
8.4.6	Fumes Control . . . . .	396
8.4.7	Observation of the HMA Pavement Behind the Screed . . . . .	396
<b>8.5</b>	<b>JOINT CONSTRUCTION . . . . .</b>	<b>398</b>
8.5.1	Transverse or Construction Joints . . . . .	398
8.5.2	Paving Start-up . . . . .	399
8.5.3	Longitudinal Joints . . . . .	401
8.5.4	Notched-Wedge Joints . . . . .	403
<b>8.6</b>	<b>RELATED PAVING OPERATIONS . . . . .</b>	<b>404</b>
8.6.1	Hand-Spreading Operations . . . . .	404
8.6.2	Supplemental Operations and Appurtenances . . . . .	404
<b>8.7</b>	<b>FOREMAN'S/INSPECTOR'S CHECK SHEET . . . . .</b>	<b>411</b>

<b>CHAPTER 9</b>	<b>HOT MIX ASPHALT COMPACTION . . . . .</b>	<b>413</b>
9.1	INTRODUCTION . . . . .	415
9.2	COMPACTION BASICS . . . . .	416
9.2.1	Terms and Definitions . . . . .	416
9.2.2	Need for Compaction . . . . .	417
9.2.3	Mechanics of Compaction . . . . .	418
9.2.4	Factors Affecting Compaction . . . . .	419
9.2.5	Cool Weather Paving . . . . .	424
9.3	COMPACTION EQUIPMENT . . . . .	426
9.3.1	Static Steel-Wheel Rollers . . . . .	426
9.3.2	Pneumatic-Tire Rollers . . . . .	427
9.3.3	Vibratory Rollers . . . . .	429
9.3.4	Guidelines for Choosing a Roller . . . . .	431
9.3.5	New Technology . . . . .	433
9.3.6	General Operational Notes . . . . .	433
9.4	ROLLING PROCEDURES . . . . .	434
9.4.1	Test Strip . . . . .	434
9.4.2	Determining Roller Requirements . . . . .	434
9.4.3	Lift Thickness . . . . .	435
9.4.4	General Rolling Hints . . . . .	435
9.4.5	Sequence of Roller Operations . . . . .	436
9.4.6	Rolling Joints and Edges . . . . .	440
9.5	TROUBLESHOOTING . . . . .	443
9.5.1	Pickup . . . . .	443
9.5.2	Low Density . . . . .	443
9.5.3	Erratic Density . . . . .	444
9.5.4	Roller Marks . . . . .	444
<b>CHAPTER 10</b>	<b>QUALITY CONTROL AND ACCEPTANCE OF HOT MIX ASPHALT . . . . .</b>	<b>445</b>
10.1	GENERAL . . . . .	447
10.1.1	Quality-Assurance Programs . . . . .	447
10.1.2	Job-Mix Formula . . . . .	449
10.2	SAMPLING METHODS . . . . .	451
10.2.1	Representative Sampling . . . . .	451
10.2.2	Random Sampling . . . . .	453
10.2.3	Aggregate Sampling Methods . . . . .	454
10.2.4	HMA Mixture Sampling . . . . .	458
10.2.5	Asphalt Binder Sampling . . . . .	463
10.3	TESTING METHODS . . . . .	464
10.3.1	Aggregate Gradation . . . . .	464
10.3.2	Fractured Faces and Aggregate Angularity . . . . .	465
10.3.3	Asphalt Content . . . . .	466
10.3.4	Maximum Theoretical Specific Gravity . . . . .	467
10.3.5	Bulk Specific Gravity (Laboratory Density) . . . . .	467
10.3.6	Air Voids . . . . .	468
10.3.7	Temperature . . . . .	468

<b>10.4</b>	<b>SAMPLING AND TESTING PLAN FOR QUALITY CONTROL</b>	470
10.4.1	Selection of Sampling Methods and Sample Frequency	470
10.4.2	Selection of Testing Methods	471
10.4.3	Written Quality-Control Plan	472
10.4.4	Test Strip	474
<b>10.5</b>	<b>PLANT PRODUCTION QUALITY-CONTROL DATA ANALYSIS</b>	476
10.5.1	Job-Mix Formula Verification	476
10.5.2	Mixture Control	477
10.5.3	Plant Adjustments	481
<b>10.6</b>	<b>PLACEMENT QUALITY-CONTROL DATA ANALYSIS</b>	483
10.6.1	Temperature	483
10.6.2	Compaction Control Methods	486
10.6.3	Mixture Compactability	489
10.6.4	Thickness and Spread Rates	490
10.6.5	Pavement Smoothness	492
<b>10.7</b>	<b>ACCEPTANCE POINT AND TEST RESULTS</b>	493
10.7.1	Asphalt Content and Gradation	493
10.7.2	Aggregate Angularity (Fractured Faces)	493
10.7.3	Volumetric Properties (Voids, VMA, VFA)	494
10.7.4	Compaction	494
10.7.5	Thickness	496
10.7.6	Ride Quality	496
<b>10.8</b>	<b>ACCEPTANCE CRITERIA</b>	499
10.8.1	Historical Acceptance	500
10.8.2	Modern Acceptance (with Volumetrics)	500
10.8.3	General Compaction Requirements	501
10.8.4	Statistical Acceptance—Percent Within Limits (PWL) Process	506
<b>10.9</b>	<b>PERFORMANCE-BASED SPECIFICATIONS</b>	513
10.9.1	Specification Definitions	513
10.9.2	Performance-Related Specifications	514
10.9.3	Performance-Based Specifications	514
<b>10.10</b>	<b>PERFORMANCE SPECIFICATIONS—WARRANTIES</b>	516
10.10.1	Performance Characteristics	516
10.10.2	Monitoring Performance Parameters	517
10.10.3	Dispute Resolution	517
<b>CHAPTER 11</b>	<b>PAVEMENT MANAGEMENT</b>	<b>519</b>
<b>11.1</b>	<b>PAVEMENT MANAGEMENT CONCEPTS</b>	<b>521</b>
11.1.1	Introduction	521
11.1.2	The Pavement Management Concept	521
11.1.3	Pavement Management Components	523
11.1.4	Pavement Management Analysis Levels	526
11.1.5	Role of Pavement Management in Pavement Preservation	527

<b>11.2</b>	<b>PAVEMENT EVALUATION</b> . . . . .	529
11.2.1	Introduction . . . . .	529
11.2.2	Functional Characteristics and Evaluation . . . . .	529
11.2.3	Structural Characteristics and Evaluation . . . . .	534
11.2.4	Use of Pavement Condition Information . . . . .	536
<b>11.3</b>	<b>PAVEMENT DISTRESS SURVEYS</b> . . . . .	539
11.3.1	Distress Survey Approaches . . . . .	539
11.3.2	Typical Asphalt Pavement Distress Types. . . . .	541
<b>11.4</b>	<b>PAVEMENT PRESERVATION PROGRAM</b> . . . . .	558
11.4.1	Establishing a Pavement Preservation Program . . . . .	558
11.4.2	Selecting the Appropriate Treatment . . . . .	560
11.4.3	Types of Maintenance and Rehabilitation Treatments . . . . .	563
11.4.4	Prioritizing Project Needs . . . . .	563
11.4.5	Maintaining the Pavement Preservation Program . . . . .	565
<b>CHAPTER 12 ASPHALT IN PAVEMENT MAINTENANCE</b>		<b>569</b>
<b>12.1</b>	<b>INTRODUCTION</b> . . . . .	571
<b>12.2</b>	<b>PATCHING</b> . . . . .	573
12.2.1	Materials . . . . .	573
12.2.2	Full-Depth (Deep) Patching . . . . .	573
12.2.3	Surface Patch (Skin Patch) . . . . .	576
12.2.4	Spray-Injection Patching . . . . .	580
<b>12.3</b>	<b>CRACK SEALING/FILLING</b> . . . . .	582
12.3.1	Materials . . . . .	583
12.3.2	Crack-Sealing Procedures . . . . .	583
12.3.3	Crack-Filling Procedures . . . . .	585
<b>12.4</b>	<b>ASPHALT SURFACE TREATMENTS</b> . . . . .	586
12.4.1	Pavement Surface Preparation. . . . .	587
12.4.2	Spray-Applied Sealers . . . . .	588
12.4.3	Chip Seals . . . . .	589
12.4.4	Slurry Seals . . . . .	605
12.4.5	Microsurfacing . . . . .	610
12.4.6	Cape Seal . . . . .	613
12.4.7	Sand Seal . . . . .	614
<b>12.5</b>	<b>THIN OVERLAYS (MAINTENANCE BLANKET)</b> . . . . .	615
<b>12.6</b>	<b>GUIDANCE ON MAINTENANCE PROCEDURES</b> . . . . .	616
<b>CHAPTER 13 REHABILITATION METHODS FOR ASPHALT PAVEMENTS</b> . . . . .		<b>619</b>
<b>13.1</b>	<b>HMA OVERLAY OVER ASPHALT PAVEMENTS</b> . . . . .	621
13.1.1	Considerations in Overlay Selection . . . . .	621
<b>13.2</b>	<b>PREPARING PAVEMENTS FOR OVERLAYS</b> . . . . .	626
13.2.1	Local Weak Areas (Patching) . . . . .	626
13.2.2	Leveling Courses. . . . .	626
13.2.3	Crack Filling/Sealing. . . . .	626

13.2.4	Widening . . . . .	628
13.2.5	Drainage . . . . .	629
13.2.6	Interlayer Techniques . . . . .	629
<b>13.3</b>	<b>MILL AND INLAY . . . . .</b>	<b>637</b>
13.3.1	Specifications . . . . .	640
13.3.2	Inspection . . . . .	641
<b>13.4</b>	<b>HOT IN-PLACE RECYCLING . . . . .</b>	<b>642</b>
13.4.1	Pavement Assessment . . . . .	642
13.4.2	Material Evaluation . . . . .	643
13.4.3	HIPR Construction Processes . . . . .	644
13.4.4	Inspection . . . . .	649
<b>13.5</b>	<b>COLD-MIX RECYCLING . . . . .</b>	<b>652</b>
13.5.1	Introduction . . . . .	652
13.5.2	Central Plant (CP) Cold Recycling . . . . .	652
13.5.3	Stationary Facilities . . . . .	653
13.5.4	Placement of the Mix . . . . .	654
<b>13.6</b>	<b>COLD IN-PLACE RECYCLING . . . . .</b>	<b>655</b>
13.6.1	General . . . . .	655
13.6.2	Mix Design . . . . .	656
13.6.3	Equipment and Methods . . . . .	658
13.6.4	Placement of CIPR Materials . . . . .	661
13.6.5	Compaction of CIPR Layers . . . . .	661
13.6.6	Curing and Aeration . . . . .	663
13.6.7	Wearing Course . . . . .	664
13.6.8	Inspection . . . . .	664
<b>13.7</b>	<b>FULL-DEPTH RECLAMATION . . . . .</b>	<b>666</b>
13.7.1	Stabilization with Chemical Additives . . . . .	666
13.7.2	Stabilization with Asphalt Materials . . . . .	667
13.7.3	Construction of a FDR Pavement . . . . .	669
13.7.4	Shaping and Compaction Procedures . . . . .	672
13.7.5	Inspection . . . . .	674
<b>CHAPTER 14 REHABILITATION OF CONCRETE PAVEMENTS WITH HMA . . . . .</b>		<b>677</b>
<b>14.1</b>	<b>INTRODUCTION . . . . .</b>	<b>679</b>
14.1.1	Reflection Cracking . . . . .	679
<b>14.2</b>	<b>SAW-AND-SEAL . . . . .</b>	<b>682</b>
14.2.1	Design Considerations . . . . .	683
14.2.2	Construction . . . . .	683
<b>14.3</b>	<b>FRACTURED SLAB TECHNIQUES . . . . .</b>	<b>687</b>
14.3.1	Crack/Break and Seat . . . . .	687
14.3.2	Construction . . . . .	689
<b>14.4</b>	<b>RUBBLIZATION . . . . .</b>	<b>693</b>
14.4.1	Project Selection and Overview . . . . .	693
14.4.2	Design Considerations . . . . .	693
14.4.3	Construction . . . . .	694
14.4.4	Specification Criteria and Inspection . . . . .	700

**CHAPTER 15 SPECIAL USES OF ASPHALT AND HMA . . . 703**

**15.1 COLD MIX ASPHALT . . . . . 705**

- 15.1.1 Introduction . . . . . 705
- 15.1.2 Description. . . . . 705
- 15.1.3 Suitability for Pavement Construction . . . . . 706
- 15.1.4 Mix Composition . . . . . 706
- 15.1.5 Asphalt. . . . . 706
- 15.1.6 Types of Mixes . . . . . 708
- 15.1.7 Proportioning Materials . . . . . 710
- 15.1.8 Construction Methods. . . . . 712
- 15.1.9 Methods of Preparing Mixes . . . . . 715

**15.2 HYDRAULIC STRUCTURES . . . . . 724**

- 15.2.1 Application/Uses for Hydraulic Structures . . . . . 724
- 15.2.2 Hydraulic Mix Design Requirements . . . . . 727
- 15.2.3 Construction Considerations . . . . . 730

**15.3 HMA UTILIZATION IN RAILWAY TRACK BEDS . . . . . 734**

- 15.3.1 Introduction. . . . . 734
- 15.3.2 Desirable Benefits and Applications of HMA Underlayment. . . . . 735
- 15.3.3 Prevailing Design Practices . . . . . 736
- 15.3.4 Typical Installation Practices. . . . . 737

**15.4 ATHLETIC AND RECREATION FACILITIES . . . . . 740**

- 15.4.1 Types of Facilities. . . . . 740
- 15.4.2 Basic Considerations. . . . . 741
- 15.4.3 Pavement Thickness . . . . . 742

**15.5 ASPHALT ROOFS . . . . . 744**

- 15.5.1 History. . . . . 744
- 15.5.2 Types of Asphalt Roofing . . . . . 744

**15.6 PAVEMENT NOISE MITIGATION . . . . . 746**

- 15.6.1 Introduction. . . . . 746
- 15.6.2 Nature of Noise . . . . . 746
- 15.6.3 Noise Characteristics of HMA Pavements. . . . . 747

**15.7 MISCELLANEOUS ASPHALT USES . . . . . 750**

- 15.7.1 Bridge-Deck Paving . . . . . 750
- 15.7.2 Construction Methods. . . . . 750
- 15.7.3 Industrial Floors . . . . . 751
- 15.7.4 Roof Deck Parking . . . . . 751

**15.8 LEACHING PADS. . . . . 753**

- 15.8.1 Uses of Leaching Pads . . . . . 753
- 15.8.2 Design of Leach Pads . . . . . 753
- 15.8.3 Materials . . . . . 753
- 15.8.4 Construction of Leaching Pads . . . . . 753

**15.9 ENVIRONMENTAL APPLICATIONS OF ASPHALT . . . . . 755**

- 15.9.1 General . . . . . 755
- 15.9.2 Examples of Environmental Uses of Asphalt . . . . . 755

<b>15.10</b>	<b>USES OF HMA FOR RACE AND TEST TRACKS . . . . .</b>	<b>757</b>
15.10.1	Introduction . . . . .	757
15.10.2	Materials Requirements . . . . .	758
15.10.3	Construction Practices . . . . .	759
<b>15.11</b>	<b>POROUS PAVEMENTS . . . . .</b>	<b>761</b>
15.11.1	Introduction . . . . .	761
15.11.2	General Design Principles . . . . .	761
15.11.3	Construction . . . . .	763
15.11.4	Maintenance . . . . .	763
<b>15.12</b>	<b>COLORED ASPHALT . . . . .</b>	<b>764</b>
<b>15.13</b>	<b>WARM MIX ASPHALT PAVEMENTS . . . . .</b>	<b>765</b>
15.13.1	Potential Benefits . . . . .	765
15.13.2	Various WMA Technologies . . . . .	765



# List of Illustrations

## Chapter 1

Figure 1.1	Pavement Placement in 1907 on Pennsylvania Avenue, Washington, D.C. ....	4
Figure 1.2	Petroleum Asphalt Flow Chart .....	8
Figure 1.3	Hot Mix Asphalt Manufacturing Facility .....	10
Figure 1.4	Placement of Hot Mix Asphalt .....	11
Figure 1.5	Spread of Wheel Load through Pavement Structure .....	13
Figure 1.6	Asphalt Pavement Cross-Sections Showing Some Common and Typical Asphalt Pavement Structures.....	14
Figure 1.7	Pavement Deflection Results in Tensile and Compressive Stresses in Pavement Structure .....	16

## Chapter 2

Figure 2.1	Petroleum Asphalt Flow Chart .....	25
Figure 2.2	Asphalt Institute Vacuum Viscometer Tube .....	29
Figure 2.3	Absolute Viscosity Bath with Tubes.....	29
Figure 2.4	Cross-arm Viscometer Tube .....	31
Figure 2.5	Kinematic Viscosity Bath with Tubes.....	31
Figure 2.6	Penetrometer .....	33
Figure 2.7	Penetration Test .....	33
Figure 2.8	Cleveland Open Cup Test.....	34
Figure 2.9	Thin Film Oven .....	36
Figure 2.10	Rolling Thin Film Oven.....	37
Figure 2.11	Rolling Thin Film Oven Bottles .....	37
Figure 2.12	Trimming Direct Specimen .....	38
Figure 2.13	Ductility Test.....	39
Figure 2.14	Asphalt Binder Properties—Penetration Grading .....	41
Figure 2.15	Asphalt Binder Properties—Viscosity Grading .....	42
Figure 2.16	Time-Temperature Superposition .....	45
Figure 2.17	Behavior of Asphalt Binders as Shear Rate Changes ..	45
Figure 2.18	Rotational Viscosity Equipment .....	47
Figure 2.19	Rotational Viscosity Operation.....	48
Figure 2.20	Graphical Representation of Shear Modulus ( $G^*$ ) and Phase Angle ( $\delta$ ) .....	50
Figure 2.21	DSR Operation .....	50
Figure 2.22	Dynamic Shear Rheometer.....	51
Figure 2.23	Asphalt Sample Configuration in DSR.....	52
Figure 2.24	Stress-Strain Output.....	53
Figure 2.25	Stress-Strain Output of Viscoelastic Material .....	53
Figure 2.26	Dynamic Shear Rheometer Calculations.....	54

Figure 2.27	Bending Beam Rheometer .....	55
Figure 2.28	Bending Beam Rheometer Deflection (Mold Assembly).....	56
Figure 2.29	Bending Beam Rheometer Graph.....	57
Figure 2.30	Direct Tension Specimens.....	58
Figure 2.31	Direct Tension Tester.....	59
Figure 2.32	Direct Tension Loading .....	60
Figure 2.33	Stress-Strain Curves for Direct Tension .....	61
Figure 2.34	Pressure Aging Vessel (PAV) .....	62
Figure 2.35	Pressure Aging Vessel Pans.....	62
Figure 2.36	Performance Graded Asphalt Binder Specification Table.....	64
Figure 2.37	Thermal Stress Curves for Critical Cracking Temperature .....	68
Figure 2.38	Saybolt Furol Viscosity .....	73
Figure 2.39	Distillation (Emulsion) .....	76
Figure 2.40	Flash Point (Tag Open Cup) .....	79
Figure 2.41	Distillation (Cutback) .....	80
Figure 2.42	Ring-and-Ball Softening Point.....	84
Figure 2.43	SBR Latex Modification of Hot Asphalt Cement.....	88
Figure 2.44	SBS Pellets .....	88
Figure 2.45	SBS Blending System for Asphalt Terminals .....	89
Figure 2.46	Preparing Separation Test Samples.....	93
Figure 2.47	Elastic Recovery Test Specimen .....	94
Figure 2.48	Elastic Recovery Test Operation .....	95
Figure 2.49	Force Ductility Test Operation.....	95
Figure 2.50	Force Ductility Output .....	96
Figure 2.51	Toughness and Tenacity Equipment and Operation ...	97
Figure 2.52	Toughness and Tenacity Output .....	97
Figure 2.53	Creep Recovery Output.....	98

**Chapter 3**

Figure 3.1	Sources of Natural Aggregates in U.S. ....	114
Figure 3.2	Rock Quarry Excavation.....	115
Figure 3.3	Aggregate Segregation .....	120
Figure 3.4	Sieving of Aggregate .....	122
Figure 3.5	Example of Aggregate Sieve Analysis.....	123
Figure 3.6	Round Versus Fractured Particles .....	123
Figure 3.7	Los Angeles Abrasion Machine .....	127
Figure 3.8	Relationship Between the Different Specific Gravities of an Aggregate Particle .....	129
Figure 3.9	Gradation Types .....	134
Figure 3.10	FHWA Chart.....	138
Figure 3.11	Example Gradation Curves .....	139
Figure 3.12	Milling Machine .....	148

## Chapter 4

Figure 4.1	Components of HMA Mixture .....	161
Figure 4.2	Voids in a Compacted HMA Mixture .....	168
Figure 4.3	Hot Mix Asphalt Component Diagram .....	173
Figure 4.4	Apparent Specific Gravity of Aggregate .....	175
Figure 4.5	Bulk Specific Gravity of Aggregate.....	175
Figure 4.6	Equipment for Maximum Specific Gravity.....	177
Figure 4.7	Effective Specific Gravity of Aggregate.....	179
Figure 4.8	Determination of Dry Mass of Specimen .....	180
Figure 4.9	Determination of SSD Mass of Specimen .....	181
Figure 4.10	CoreLok Device .....	182
Figure 4.11	HMA Sample in Sealed Bag .....	183
Figure 4.12	Superpave Gyrotory Compactor.....	189
Figure 4.13	Superpave Gyrotory Compactor Mold Configuration..	190
Figure 4.14	Mixture Compaction Characteristics from the SGC....	191
Figure 4.15	Composite Photo of Gyrotory Compactors .....	192
Figure 4.16	Temperature-Viscosity Relationship.....	193
Figure 4.17	Typical Superpave Mix Design Curves .....	195
Figure 4.18	Marshall Compaction Hammer .....	199
Figure 4.19	Marshall Stability and Flow Machine .....	200
Figure 4.20	Test Properties for Hot Mix Design Data by the Marshall Method .....	202
Figure 4.21	California Kneading Compactor.....	206
Figure 4.22	Hveem Stabilometer Machine .....	207
Figure 4.23	Test Property Curves for Hot Mix Design Data Using the Hveem Method.....	208
Figure 4.24	SMA Mix in Colorado .....	217
Figure 4.25	Cellulose Fiber.....	219
Figure 4.26	Mineral Fiber .....	220
Figure 4.27	Draindown Basket.....	222
Figure 4.28	Comparison of Splash Spray Characteristics of an OGFC Surface (foreground) to a Conventional Surface (background).....	223
Figure 4.29	Resilient Modulus Test Set-up .....	231
Figure 4.30	Axial Static Creep Test—Strain Response .....	232
Figure 4.31	Rate of Change in Compliance as a Function of Loading Time .....	233
Figure 4.32	Rate of Change in Axial Strain as a Function of Loading Cycles (Time) .....	234
Figure 4.33	Beam Fatigue Test Apparatus.....	235
Figure 4.34	Typical Plot of Fatigue Data in Constant Strain Beam Fatigue Test.....	236
Figure 4.35	Hamburg Wheel-Tracking Device .....	238
Figure 4.36	Typical Results from a Hamburg Wheel-Tracking Device .....	238
Figure 4.37	Asphalt Pavement Analyzer.....	239

Figure 4.38	Asphalt Vibratory Compactor.....	240
Figure 4.39	Typical APA Test Results .....	241
Figure 4.40	Recommended Mix Types .....	245
<b>Chapter 5</b>		
Figure 5.1	CBR Test Assembly.....	254
Figure 5.2	Correction of Load-Penetration Curves .....	256
Figure 5.3	Sample Form for Recording CBR Data .....	257
Figure 5.4	Hveem Stabilometer .....	259
Figure 5.5	Apparatus for Resilient Modulus Testing of Soils.....	262
Figure 5.6	Forms for Resilient Modulus Tests on Compacted Fine-Grained Soils.....	264
Figure 5.7	Hand-Operated DCP .....	265
Figure 5.8	Automated DCP Mounted on a Trailer .....	267
Figure 5.9	Falling Weight Deflectometer.....	268
Figure 5.10	Ice Lenses Forming Beneath the Pavement Structure Cause Frost Heave .....	277
Figure 5.11	Two Typical Subdrain Installations.....	279
<b>Chapter 6</b>		
Figure 6.1	Layered Elastic Model.....	285
Figure 6.2	Typical Tractor-Trailer Used on Highways .....	290
Figure 6.3	Typical General Aviation Type Aircraft.....	291
Figure 6.4	Commercial Passenger Aircraft .....	293
Figure 6.5	Straddle Carrier at Port Facility.....	294
Figure 6.6	Screenshot of SW1, Thickness Design Software.....	304
<b>Chapter 7</b>		
Figure 7.1	Components of a Modern Batch Plant .....	310
Figure 7.2	Flow of Material through a Batch Plant .....	310
Figure 7.3	Components of a Modern Drum-Mix Plant .....	311
Figure 7.4	Flow Process through a Drum-Mix Plant .....	312
Figure 7.5	Vertical Asphalt Storage Tanks.....	314
Figure 7.6	Cold-feed Bins with Belt Feeders .....	317
Figure 7.7	Bin for Reclaimed Asphalt Pavement.....	318
Figure 7.8	Aggregate Conveyors on a Drum Plant .....	319
Figure 7.9	Flights Lift and Drop Material Through the Hot Gases of the Dryer .....	320
Figure 7.10	Knockout Box on Drum-Mixer Plant.....	323
Figure 7.11	Cyclone and Baghouse on Drum-Mix Plant with Dust Return and Mineral Filler Silos .....	323
Figure 7.12	Scrubber on Drum-Mix Plant .....	324
Figure 7.13	The Internal Components of a Baghouse.....	324
Figure 7.14	Fines-Return System on Drum-Mix Plant .....	325
Figure 7.15	Fines-Return System with Storage Silo .....	327
Figure 7.16	Continuous Weigh Pod for Baghouse Dust or Filler on Drum Plant .....	328
Figure 7.17	Self-Erecting Silo with Weigh Scale in Silo.....	330

Figure 7.18	Stationary Silos over Truck Scale.....	331
Figure 7.19	Modern Batch Plant Fitted with Recycle System, Baghouse, Filler Silo, and Mix Storage Silos .....	332
Figure 7.20	Material Flow Across a Typical Screen Deck.....	334
Figure 7.21	Hot-Bin Sampling Device.....	335
Figure 7.22	Twin-Shaft Pugmill Mixer Showing the Key Components to the Mixer .....	337
Figure 7.23	Parallel-Flow Drum-Mixer Flow.....	341
Figure 7.24	Counterflow Drum-Mixer Flow.....	341
Figure 7.25	Separate Dryer and Mixer Flow.....	341
Figure 7.26	Double-Barrel Unitized Dryer/Mixer Flow.....	342
Figure 7.27	Manual Calibration Chart for Cold-Feed Bin.....	343
Figure 7.28	Computerized Cold-Feed Calibration Screen.....	344
Figure 7.29	Computerized Mix Formula Screen .....	345
Figure 7.30	Drum-Mix Asphalt Flow Control.....	346
Figure 7.31	Mixing Flights/Drum-Mixer Plant .....	348
Figure 7.32	Mixing Tips/Double-Barrel Unitized Dryer/Mixer Plant.....	349

## Chapter 8

Figure 8.1	Distributor Applying a Prime Coat .....	363
Figure 8.2	Standard Dump Truck.....	367
Figure 8.3	Semitrailer Dump Truck.....	367
Figure 8.4	Bottom Dump Trailer .....	368
Figure 8.5	Horizontal Discharge Truck .....	369
Figure 8.6	Proper Method for Breaking the Load .....	371
Figure 8.7	Proper Loading of Paver .....	372
Figure 8.8	Material Transfer Device .....	373
Figure 8.9	Windrow Paving .....	374
Figure 8.10	Asphalt Paving Machine.....	376
Figure 8.11	Schematic of Asphalt Paver.....	377
Figure 8.12	Rubber-Tire Laydown Machine with a Hopper Insert.....	378
Figure 8.13	Track-Mounted Laydown Machine.....	379
Figure 8.14	Contact Sensor for Material Control .....	381
Figure 8.15	Ultrasonic Noncontact Sensor for Material Control.....	382
Figure 8.16	Free-Floating Screed.....	383
Figure 8.17	Screed with Variable-Width Extensions .....	386
Figure 8.18	Screed with Fixed-Width Extensions .....	387
Figure 8.19	Improperly Aligned Screed Extension .....	389
Figure 8.20	Dual Stringline Reference Set Up for Airfield Paving.....	391
Figure 8.21	Thirty-Foot Mobile Reference .....	392
Figure 8.22	Sonic Sensor Mobile Reference System.....	393
Figure 8.23	Distance Required for Screed Change to Fully Occur.....	394

Figure 8.24	Placement of Kraft Paper Bond Breaker on a Transverse Joint.....	398
Figure 8.25	Applying Tack Coat on a Transverse Joint .....	400
Figure 8.26	Segregation Along Outside Edge of Mat.....	402
Figure 8.27	Notched-Wedge Joint.....	403
Figure 8.28	Building Superelevated Curves with HMA .....	406
Figure 8.29	Asphalt Curb Machine.....	407
Figure 8.30	Roller Mounted with Pipe for Rolled-In Joints.....	409
Figure 8.31	Rolled-In Rumble Strips .....	409
Figure 8.32	Milled-In Rumble Strips .....	410

## Chapter 9

Figure 9.1	Pass-Coverage Defined.....	416
Figure 9.2	Pavement Durability versus Air Voids.....	418
Figure 9.3	Forces at Work During Compaction .....	419
Figure 9.4	Time Allowed for Compaction, Based on Temperature and Thickness of Mat and Temperature of Underlying Base.....	423
Figure 9.5	Static Steel-Wheel Roller .....	426
Figure 9.6	Self-Propelled Pneumatic-Tire Roller.....	428
Figure 9.7	Vibratory Roller .....	430
Figure 9.8	Impact Spacing.....	432
Figure 9.9	Density Growth Curve.....	435
Figure 9.10	Correct Rolling Pattern.....	437
Figure 9.11	Forces Acting when Tiller Wheel or Drive Wheel is Forward .....	438
Figure 9.12	Rolling a Transverse Joint .....	440
Figure 9.13	Options for Longitudinal Joint Compaction .....	441

## Chapter 10

Figure 10.1A	Random Core Locations Worksheet (English).....	456
Figure 10.1B	Random Core Locations Worksheet (Metric).....	457
Figure 10.2	Stockpile Sampling.....	458
Figure 10.3	Belt Sampling .....	459
Figure 10.4	Hot Bin Sampling.....	460
Figure 10.5	Truck Sampling .....	461
Figure 10.6	Windrow Sampling.....	461
Figure 10.7	Plate Sampling.....	462
Figure 10.8	Asphalt Coring.....	462
Figure 10.9	Temperature Measurements.....	469
Figure 10.10	Control Chart Example.....	478
Figure 10.11	Quality Control Summary Example .....	480
Figure 10.12	Air Voids Investigation Example.....	481
Figure 10.13	Use of Depth Gauge to Measure Loose Mat Thickness.....	491
Figure 10.14	Reference Density at 4% Air Voids.....	502
Figure 10.15	Reference Density at 5% Air Voids.....	503
Figure 10.16	Reference Density at 3% Air Voids.....	504

## Chapter 11

Figure 11.1	Typical Pavement Condition as a Function of Time....	522
Figure 11.2	Typical Pavement Management Components.....	523
Figure 11.3	Average North Carolina Network Conditions Under a “Worst-First” as a Preservation Strategy.....	528
Figure 11.4	Automated Data-Collection Van.....	531
Figure 11.5	Locked-Wheel Skid Trailer.....	533
Figure 11.6	Schematic Diagram of FWD Testing Equipment.....	535
Figure 11.7	Sample Link between Pavement Condition Index (PCI) and Repair Type.....	537
Figure 11.8	Sample Distress Map.....	540
Figure 11.9	Alligator (Fatigue) Cracking.....	543
Figure 11.10	Block Cracking.....	544
Figure 11.11	Edge Cracking.....	544
Figure 11.12	Longitudinal Cracking.....	545
Figure 11.13	Transverse Cracking.....	546
Figure 11.14	Reflection Cracking.....	547
Figure 11.15	Slippage Cracks.....	548
Figure 11.16	Shoving.....	549
Figure 11.17	Rutting.....	549
Figure 11.18	Depression.....	550
Figure 11.19	Upheaval.....	551
Figure 11.20	Utility Cut.....	552
Figure 11.21	Potholes.....	553
Figure 11.22	Raveling.....	553
Figure 11.23	Bleeding.....	554
Figure 11.24	Polished Aggregate.....	555
Figure 11.25	Loss of Cover Aggregate.....	556
Figure 11.26	Longitudinal Streaking.....	557
Figure 11.27	Sample Decision Tree.....	561
Figure 11.28	Sample Benefit Calculation.....	564

## Chapter 12

Figure 12.1	Removing the Surface and Base.....	574
Figure 12.2	Applying a Tack Coat to the Vertical Sides.....	575
Figure 12.3	Backfilling the Patch Area with HMA.....	575
Figure 12.4	Spreading the Mix Over the Patch Area.....	576
Figure 12.5	Checking Patched Surface with a Straightedge.....	577
Figure 12.6	Patcher Truck.....	577
Figure 12.7	Medium-Size Milling Machine.....	578
Figure 12.8	Small-Size Milling Machine.....	578
Figure 12.9	Skid Steer Loader Equipped with a Small Milling Head.....	579
Figure 12.10	Spray-Injection Patching Machine.....	580
Figure 12.11	Cleaning of Cracks with Hot Compressed Air.....	583
Figure 12.12	Properly Sealed Crack.....	584
Figure 12.13	Placing Crack Filler with Hand Wand.....	585

Figure 12.14	Preparation of Surface with Power Sweeper.....	588
Figure 12.15	Asphalt Distributor.....	595
Figure 12.16	Proper Nozzle Angle Setting.....	596
Figure 12.17	Overlapping Spray Fans.....	596
Figure 12.18	Tailgate Vane Spreader.....	597
Figure 12.19	Truck-Attached Mechanical Spreader.....	598
Figure 12.20	Self-Propelled Mechanical Spreader.....	598
Figure 12.21	Pneumatic-Tire Roller.....	600
Figure 12.22	Slurry Seal Machine.....	607
Figure 12.23	Flow Diagram of a Typical Slurry Seal Mixer.....	608
Figure 12.24	Microsurfacing Machine.....	611
Figure 12.25	Microsurfacing Spreader Box.....	612
Figure 12.26	Rut-Filling Box.....	612

## Chapter 13

Figure 13.1	Overlay Cost and Repair Cost versus Percentage of Area Repaired.....	625
Figure 13.2	Placing a Leveling Course with a Motor Grader.....	627
Figure 13.3	Leveling Wedge Construction.....	628
Figure 13.4	Placement of Paving Geotextile.....	632
Figure 13.5	Placement of Strip Membrane.....	634
Figure 13.6	Onsite Asphalt Rubber Blending Equipment.....	635
Figure 13.7	Large High Capacity Milling Machine.....	637
Figure 13.8	Medium Sized Milling Machine.....	638
Figure 13.9	Tungsten Carbide Milling Teeth.....	639
Figure 13.10	Micromilled Surface.....	639
Figure 13.11	Blending Chart.....	644
Figure 13.12	Surface Recycling Pre-heaters.....	645
Figure 13.13	Close up of Scarifying Tines.....	646
Figure 13.14	Repaver.....	647
Figure 13.15	Repaver Mixer.....	648
Figure 13.16	Multistage Remixing Train.....	649
Figure 13.17	Milling Head on First Unit.....	650
Figure 13.18	Windrow of Material behind First Unit.....	651
Figure 13.19	RAP Stockpiles.....	653
Figure 13.20	Typical Pavement for Cold In-place Recycling.....	656
Figure 13.21	Single-Unit CIPR Machine.....	659
Figure 13.22	Multi-unit CIR Train.....	660
Figure 13.23	CIPR Mix in a Windrow.....	661
Figure 13.24	Steel-Wheel Finish Roller.....	662
Figure 13.25	Laboratory Asphalt-Foaming Plant.....	669
Figure 13.26	Modern FDR Reclaimer.....	670
Figure 13.27	Pulverized Material Exiting the Reclaimer.....	671
Figure 13.28	Reclaimer with Nurse Truck.....	672
Figure 13.29	Motor Grader Shaping Reclaimed Surface.....	673
Figure 13.30	Reclaimed Surface Before Compaction.....	674

## Chapter 14

Figure 14.1	Stresses in an HMA Overlay Due to Temperature Changes .....	680
Figure 14.2	Shear Forces in Overlay Due to Traffic.....	680
Figure 14.3	Deep Saw Cut with Reservoir .....	684
Figure 14.4	Marked Joints Prior to Sawing .....	685
Figure 14.5	Secondary Reflection Crack .....	685
Figure 14.6	Placement of Sealant .....	686
Figure 14.7	Illustration of a Crack and Seat Pavement .....	687
Figure 14.8	Guillotine Hammer Being Used for Crack and Seating JCPCC Pavement .....	690
Figure 14.9	Crack Pattern of Cracked and Seated Pavement .....	691
Figure 14.10	Typical Drainage System.....	695
Figure 14.11	Resonant Concrete Pavement Breaker.....	696
Figure 14.12	Multiple-Head Pavement Breaker .....	698
Figure 14.13	Grid Roller Used for Compaction of Rubblized PCCP.....	699

## Chapter 15

Figure 15.1	Measurements for Determining Windrow Quantities .....	712
Figure 15.2	Blade Mixing .....	716
Figure 15.3	Rotary Mixer—Pulvimixer Type.....	717
Figure 15.4	Schematic of Travel Plant.....	718
Figure 15.5	Cold Mix Continuous Mixing Facility .....	720
Figure 15.6	Flow Chart for Cold Mix Design Procedure .....	721
Figure 15.7	Asphalt-Lined Reservoir .....	725
Figure 15.8	HMA Placed as an Underlayment .....	734
Figure 15.9	HMA Placed as an Overlayment .....	735
Figure 15.10	Placing HMA Underlayment in Southern Kansas.....	738
Figure 15.11	Placing Underlayment by Backdumping and Spreading.....	739
Figure 15.12	Asphalt Running Track.....	740
Figure 15.13	Asphalt Tennis Court.....	741
Figure 15.14	Effect of Distance on Traffic Noise over a Paved Surface .....	748
Figure 15.15	A Typical Asphalt-Lined Reservoir.....	756
Figure 15.16	HMA-Surfaced Race Track.....	757
Figure 15.17	Roller Compacting HMA on Race Track .....	760
Figure 15.18	A Typical Porous Pavement System.....	762



# List of Tables

## Chapter 2

Table 2.1	Methods Used to Produce and Process Asphalt Materials .....	24
Table 2.2	Asphalt Cement Specification Tests .....	43
Table 2.3	Emulsified Asphalt Grades .....	70
Table 2.4	Specification Tests for Emulsified Asphalt Grades .....	78
Table 2.5	Specification Tests for Cutback Asphalt Grades .....	82
Table 2.6	Ranges of Storage and Mixing Temperatures .....	100
Table 2.7	Percent Capacities for Various Depths of Cylindrical Tanks in Horizontal Position .....	105

## Chapter 3

Table 3.1	Different Aggregate Classifications .....	112
Table 3.2	Typical Properties of Common Aggregates .....	112
Table 3.3	Coarse-Aggregate Standard Grading Sizes .....	124
Table 3.4	AASHTO M 323, Superpave Aggregate Consensus Properties .....	132
Table 3.5	AASHTO MP 8, Stone Matrix Asphalt (SMA) Aggregate Quality Requirements .....	133
Table 3.6	Typical Mix Grading Sizes and Compositions (from ASTM D 3515) .....	137
Table 3.7	Example Blending Table .....	141
Table 3.8	Trial-and-Error Calculations for Combining Two Aggregates .....	142
Table 3.9	Trial-and-Error Solution for Combining Three Aggregates .....	143
Table 3.10	Adjusting Percentages by Volume to Percentages by Weight .....	145
Table 3.11	Calculation of Surface Area .....	146
Table 3.12	ASTM D 242 Gradation Limits for Mineral Filler .....	153

## Chapter 4

Table 4.1	Basic Data for Sample of Paving Mixture .....	174
Table 4.2	Superpave Aggregate Consensus Requirements .....	187
Table 4.3	Superpave Mixture Gradations .....	188
Table 4.4	Superpave Gyrotory Compactive Effort .....	191
Table 4.5	Superpave Volumetric Mixture Design Requirements .....	196
Table 4.6	Marshall Design Criteria .....	203
Table 4.7	Hveem Design Criteria .....	209
Table 4.8	Binder Selection Guidelines for RAP Mixtures .....	214

Table 4.9	Typical Gradations for SMA Mixes (Percent Passing by Volume) .....	218
Table 4.10	Typical OGFC Gradations .....	225
Table 4.11	Typical Gradations Used for ATPB .....	229
Table 4.12	Traffic Level Definitions .....	243
Table 4.13	Coarse Versus Fine Graded Mixes.....	244
<b>Chapter 5</b>		
Table 5.1	Common Test Methods for Soil Strength/Stiffness.....	252
Table 5.2	Routine Soil Tests .....	253
Table 5.3	Measurement Points for CBR Test.....	255
Table 5.4	Standard Penetration Loads for CBR Test.....	256
Table 5.5	Correlations for the Determination of Resilient Modulus .....	269
<b>Chapter 6</b>		
Table 6.1	Comparison of Selected Mechanistic-Empirical Highway Pavement Design Methods .....	299
Table 6.2	Comparison of Selected Mechanistic-Empirical Airport Pavement Design Methods.....	300
Table 6.3	Asphalt Institute Design Manuals and Software.....	302
Table 6.4	Contact Information for Selected Pavement Design Methods.....	303
<b>Chapter 9</b>		
Table 9.1	Summary of Influences on Compaction .....	425
<b>Chapter 10</b>		
Table 10.1	Testing Outline for Quality-Assurance Programs.....	448
Table 10.2	Minimum Sample Size for Aggregates .....	452
Table 10.3	Sample Random Number Sample Locations.....	454
Table 10.4	Sample Stratified Random Number Sample Locations.....	455
Table 10.5	Standard Test Methods for Asphalt Content of Hot Mix Asphalt.....	467
Table 10.6	Example Quality Control Sampling and Testing Plan for HMA.....	474
Table 10.7A	Quality-Control Placement Data Summary Example .....	484
Table 10.7B	Quality-Control Placement Data Summary Example (Metric).....	485
Table 10.8	Example Specification Limits on Quality Characteristics.....	508
Table 10.9	PWL Table (FHWA Format) .....	510
Table 10.10	Pay Reduction Factors for HMA Production.....	512
<b>Chapter 11</b>		
Table 11.1	Sample Decision Matrix .....	561

## Chapter 12

Table 12.1	Quantities of Asphalt and Aggregate for Single-Surface Treatments .....	592
Table 12.2	Quantities of Asphalt and Aggregate per Square Yard (Square Meter) for Double-Surface Treatment .....	593
Table 12.3	Quantities of Asphalt and Aggregate per Square Yard (Square Meter) for Triple-Surface Treatment .....	594
Table 12.4	Suggested Temperatures for Spraying Asphalt.....	601
Table 12.5	Slurry Mixture Gradings.....	606
Table 12.6	Quantities of Asphalt and Aggregate per Square Yard (Square Meter) for Cape Seal .....	614

## Chapter 13

Table 13.1	Some Alternatives for Pavement Rehabilitation.....	623
Table 13.2	Typical Paving Nonwoven Geotextile Specifications.....	630
Table 13.3	Gradations for SAMIs .....	636

## Chapter 15

Table 15.1	Guide for Uses for Asphalts in Cold Mix.....	707
Table 15.2	Aggregates for Open-Graded Emulsion Mixes .....	708
Table 15.3	Aggregates for Emulsified Dense-Graded Asphalt Mixtures .....	709
Table 15.4	Aggregate for Emulsified Sand Mixes .....	710
Table 15.5	Typical Asphalt Temperatures for Cold Mix Construction .....	714
Table 15.6	Types of Rollers Suitable for the Compaction of Cold Mix Asphalt Bases.....	723
Table 15.7	Application Forms of Asphaltic Materials for Hydraulic Structures.....	726
Table 15.8	Mix Compositions for Formed In-Place Asphalt Liners.....	729
Table 15.9	Noise Levels Associated with Common Activities .....	747



# Index

## A

- Absorbed asphalt content ( $P_{ba}$ ), 173
- Absorption, of an aggregate, 128
- AC (Asphalt Cement) system, 41
- Acceptance criteria, of HMA
  - construction projects
  - general compaction requirements, 501–506
  - historical acceptance, 500
  - modern, 500–501
  - statistical acceptance, 506–512
- Acceptance practices, 447
- Acceptance testing
  - aggregate angularity, 493–494
  - asphalt content and gradation, 493
  - compaction, 494–496
  - ride quality, 496–498
  - for thickness, 496
  - volumetric properties, 494
- Additives and modification, of asphalts
  - rationale of use, 86
  - tests for, 92–98
  - types, 86–91
- Aggregate absorption, 170
- Aggregate additives
  - antistripping additives, 154–155
  - fibers, 155–156
  - mineral filler, 152–153
  - roofing-shingle scrap, 156
  - scrap tires (ground rubber), 156
- Aggregate angularity, 465
  - acceptance for, 493–494
- Aggregate cleanliness, 131
- Aggregate coatings, 131
- Aggregate dryer, 319–322
- Aggregate gradation, 464–465
- Aggregate packing properties, in HMA
  - CA, FAc and FAF ratios, 216
  - PCS percentage, 215
- Aggregates, for hot mix asphalt (HMA)
  - mixture
  - classification, 112
  - origin of bedrock, 111–113
  - production, 117–119
  - sources of, 113–116
- Aggregates for HMA, composite analysis
  - calculation of surface area, 145–146
  - composite-aggregate size designations, 135–136
  - composite-aggregate size fractions, 136
  - gradation adjustments for specific gravities, 144–145
  - gradation blending calculations, 139–144
  - gradation types, 134–135
  - power gradation curve, 136–139
- Aggregates for HMA, properties, 112
  - deleterious substances, 130–132
  - freeze-thaw/weathering resistance, 130
  - particle shape and surface texture, 122–126
  - particle size and grading, 121–122
  - pore structure, porosity and absorption, 128
  - segregation, 120
  - specifications, 132–133
  - specific gravity, 128–130
  - stone matrix asphalt (SMA)
    - aggregate quality requirements, 133
  - toughness, 126–128
- Aggregate spreader, 597–599
- Aggregate stockpiling facility, 315–317
- Air-blown asphalts, 26, 727
  - properties and specifications, 83–85
- Air-voids, 129, 168, 172
  - in compacted mixture, 184–185
  - testing for, 468
- Akkadian *asphaltic*, 3
- Alligator (fatigue) cracking, 164, 536, 542–543

- American Association of State Highway and Transportation Officials (AASHTO) specifications
- AASHTO M 323, 213
  - AASHTO M 20 asphalt binder, 40
  - AASHTO M 43 (ASTM D 448), 122
  - AASHTO Materials Reference Laboratory (AMRL), 449
  - AASHTO M 320 binder specifications, 63–65
  - AASHTO MP 323, 121
  - AASHTO PP 41, 217
  - AASHTO PP 48–03, 192
  - AASHTO R 35, 189, 194
  - AASHTO T 19, 220, 225
  - AASHTO T 40, 463
  - AASHTO T 110, 720
  - AASHTO T 164, 210
  - AASHTO T 166, 220
  - AASHTO T 209, 211, 467
  - AASHTO T 246, 204
  - AASHTO T 247, 204
  - AASHTO T 283, 196, 221
  - AASHTO T 292, 261
  - AASHTO T 304, 466
  - AASHTO T 307, 261
  - AASHTO T 308, 210, 657
  - AASHTO T 324, 237
  - AASHTO T 165 and T 167, 227
  - AASHTO T 89 and T 90 (ASTM D 4318), 131
  - AASHTO T 11 (ASTM C 117), 132
  - AASHTO T 84 (ASTM C 128), 128–129
  - AASHTO T 85 (ASTM C 127), 128–129
  - AASHTO T 96 (ASTM C 131), 127
  - AASHTO T 104 (ASTM C 88), 130
  - AASHTO T 112 (ASTM C 142), 132
  - AASHTO T 176 (ASTM D 2419), 131
  - AASHTO T 195 (ASTM D 2489), 338
  - AASHTO T 327 (ASTM D 6928), 127
  - AASHTO T 166 (ASTM D 2726) procedure, 179–180
  - AASHTO T 209 or ASTM D 2041, 176–178
- American Concrete Institute (ACI), 449
- Anionic emulsified asphalts (ASTM D 977), 77
- Antioxidants, 91
- Antistripping additives, 91–92
- Apparent specific gravity ( $G_{sa}$ ), 129 of aggregate, 175–176
- AR (Aged Residue) system, 41
- Arizona Department of Transportation method, for binder content, 729
- Asphalt, *see also* PG asphalt binder tests; *specific asphalts*
- additives and modifications, 86–98
  - aging effects, 46–47
  - American Society for Testing and Materials (ASTM) definition, 23
  - background, 3–4
  - behavior in different temperatures, 44–47
  - binders, 8
  - cement, 7–9, *see also* Tests, for asphalt cement
  - early application of, 3
  - frequently asked questions, 106
  - historical milestones, 5–6
  - natural, 7
  - pavements, *see* Pavements
  - paving mixtures, 10–12
  - refining methods, 3–4
  - safety procedures for binders, 107
  - sampling, 101–102
  - surface treatments, 12
- Asphalt absorption ( $P_{ba}$ ), 181
- Asphalt binder, 186
- for chip sealing, 590–591
  - selection by Hveem method, 205
  - selection by Marshall method, 200
  - selection for hydraulic purpose, 729–730
- Asphalt binder sampling, 463
- Asphalt built-up roof, 745
- Asphalt concrete floors, 751
- Asphalt content
- defined, 173
  - in the mixture, effect of, 169–170
  - testing for, 466–467
- Asphalt coring, 462
- Asphalt distributor, 594–597
- Asphalt foaming, 27
- Asphalt Institute Mix Design Program SW-2, 198
- Asphalt Institute Mix Design Technologies Certification Program for technicians, 449
- Asphalt Institute vacuum viscometer, 28–29

Asphalt mastic floors, 751  
 Asphalt mastic seals, 732–733  
 Asphalt Pavement Analyzer (APA), 237–240  
 Asphalt properties, in RAP mixture, 211–213  
 Asphalt proprietary mixes, 573  
 Asphalt retention, of geotextiles, 630  
 Asphalt roll roofing, 744–745  
 Asphalt shingles, 744  
 Asphalt surface treatments  
   cape sealing, 613–614  
   chip sealing, 589–604  
   microsurfacing, 610–613  
   pavement surface preparation, 587  
   sand sealing, 614  
   slurry sealing, 605–610  
   spray applied sealers, 588–589  
 Asphalt temperatures, control of  
   mixing, 99–100  
   precautions, 100–101  
   spraying, 100  
 Asphalt-treated permeable base (ATPB)  
   description, 228  
   mix design characteristics and  
   procedures, 228–229  
 Asphalt Vibratory Compactor, 237  
 Asphalt weigh bucket, 336  
 ASTM C 29, 225  
 ASTM C 136 (AASHTO T 27), 121  
 ASTM D8-88, 635  
 ASTM D 140, 463  
 ASTM D 1559, 198  
 ASTM D 1560, 204  
 ASTM D 1561, 204  
 ASTM D 2041, 211, 467  
 ASTM D 2172, 210  
 ASTM D 3666, 449  
 ASTM D 4552, 589  
 ASTM D 4694, 535  
 ASTM D 4867, 196  
 ASTM D 5821, 466  
 ASTM D 6307, 210, 657  
 ASTM D 6390, 222  
 ASTM D 6433, 536  
 ASTM D 1557/AASHTO T 180, 743  
 ASTM D 1075 and D 1074, 227  
 ASTM D 946 asphalt binder, 40  
 ASTM D 698 or D 1557, 254  
 ASTM E 274, 532

Athletic or recreational facility, using  
   HMA  
     basic design, 741  
     pavement thickness, 742–743  
     types of facilities, 740–741  
 Atmospheric residue, 25

## B

Backer rods, 584–585  
 Baghouse dust, usage of, 326  
 Bailey Method, 215  
 Ballast thickness, 737  
 Batch production process, 309–311  
   aggregate gradation control,  
     332–336  
   asphalt content control, 336–337  
   mixing/coating, 337–338  
   production problem-solving guide,  
     353–355  
   recycled mix production, 338–339  
 Batchtype pugmills, 719  
 Beach sands, 114  
 Beam theory, 54  
 Belly-dump trailers, 700  
 Belt-type conveyors, 318  
 Bending beam rheometer (BBR), 54  
   stiffness, 212  
   tests, 211  
 Benkelman Beam, 534  
 Bermudez asphalt, 7  
 Bicycle/walking paths, in asphalt, 742  
 Bins, for virgin aggregate and RAP  
   cold-feeds, 317–318  
 Bitumen, 23  
 Bituminous surface treatment, *see* Chip  
   seal  
 Blade mixing, for cold-laid pavements,  
   715–716  
 Blast Furnace Slag (BFS), 116, 128  
 Bleeding, or flushing, 554  
 Blend formula, in modern batch-plant  
   production, 333  
 Blending chart, 643–644  
 Blisters, 633  
 Block copolymer, 87  
 Block cracking, 543  
 Bonding roof deck and pavement, 752  
 Breakdown rolling, 436–439, 649, 662

- Bridge-deck paving
  - construction methods, 750–751
  - dense-graded asphalt concrete mixtures, 750
- Brittle, defined, 56
- Bucket-elevator method, 338–339
- Bulk specific gravity, 129
  - of aggregates, 175–176
  - of the HMA mixture, 179–181
  - testing for, 467–468
- Burlington Northern-Santa Fe Railway's double-tracking, 737
- Burner lighting, of dryers, 320–321

## C

- CA, FA<sub>c</sub> and FA<sub>f</sub> ratios, 216
- Calcareous aggregates, 166
- Calcium chloride, 74
- Calibrated pycnometer, 176
- Calibration process, 344
  - accuracy, 318
- California bearing ratio, 252–257
- California Kneading Compactor, 205
- Cannon-Manning vacuum viscometer, 28
- Cantabro test, 226
- Cape seal, 613–614
- Capillary water, 271
- Catch basin system, 274
- Cationic emulsified asphalts (ASTM D 2397), 77
- Cationic rapid-setting (CRS) emulsions, 74
- Cement-mixing test, 74
- Centrifuge Kerosene Equivalent (CKE) tests, 204
- Chemical modification, 90
- Chip seal, 12, 587, 634
  - construction sequence, 600–603
  - equipment for, 594–603
  - limitations, 604
  - longitudinal joints, 604
  - materials, 590–591
  - surface treatment design, 591–594
  - transverse joints, 604
- Class C fly ash, 655, 662
- Cleveland Open Cup (COC) flash point test, 34, 65, 81
- Close-proximity (CPX) noise trailer, 747
- Coal-tar products, 23
- Coarse aggregate angularity (CAA), 466
- Coarse-graded aggregate structures, 135
- Coarse graded mix, 215
- Cohesimeter, 205
  - test, 204
- Cohesion, of mix, 164
- Cold In-Place Recycling (CIPR) process
  - application, 655
  - compaction of layers, 661–663
  - criteria for suitability, 656
  - curing and aeration, 663
  - equipment and methods, 658–660
  - inspection, 664–665
  - mix design, 656–657
  - placement of materials, 661
  - wearing course, 664
- Cold milling, a pavement application, 637
  - equipment for, 638–640
  - inspection, 641
  - micromilling *versus* conventional milling, 638
  - specifications, 640–641
- Cold mix asphalt preparation
  - construction methods, 712–714
  - description, 705–706
  - methods of preparing mixes, 714–723
  - mix composition, 706
  - proportioning materials, 710–711
  - suitability for pavement construction, 706
  - type and grade of asphalt in, 706–708
  - types, 708–710
- Cold-mix recycling
  - central plant (CP) cold recycling, 652–653
  - defined, 652
  - placement of mix, 654
  - stationary facilities, 653–654
- Cold-plant asphalt mixtures, 573
- Cold-side rolling, 442
- Colored asphalt, 764
- Combination plant, 342
- Compacted recycled surface, 646
- Compaction, 646
  - acceptance for, 494–495
  - of a CIPR mix, 661–663

- control methods, 486–489
  - in cool weather, 424
  - equipments, 426–433
  - factors affecting, 419–423
  - general operational notes, 433
  - influences on, 425
  - mechanics, 418–419
  - need for, 417
  - of reclaimed mixes using foamed asphalt, 673
  - rolling procedures, 434–442
  - terms and definitions, 416–417
  - thickness of the lift, 435
  - troubleshooting, 443–444
  - Compactive force, of a pneumatic-tire roller, 429
  - Complex shear modulus, 52, 65
  - Composite-aggregate gradation, 136
  - Compression-based equipments, 118
  - Concrete linings, for hydraulic applications, 728–732
  - Condition survey, of pavements, 524
  - Conical piles, 652
  - Consistency, of an asphalt binder, 26–27
  - Construction control testing, 171
  - Contact pressure, of a pneumatic-tire roller, 429
  - Contamination prevention, during process, 315–316
  - Continuous weigh pod for baghouse dust or filler, on drum plant, 328
  - Control systems, of a plant
    - aggregate and RAP transfer conveyors, 318–319
    - aggregate dryer, 319–322
    - aggregate stockpiling, 315–317
    - dust collection equipment, 322–325
    - dust-return equipment, 325–327
    - for fiber additives, 329
    - finished product storage silos and load-out equipment, 329–331
    - lime additive bulk storage and feed silos, 328
    - liquid asphalt storage tanks, 313–315
    - mineral filler additive storage and feed silos, 327–328
    - virgin aggregate and RAP cold-feed bins, 317–318
  - Conveyor belt sampling techniques, 455–458
  - Conveyors, for aggregate and RAP transfer, 318–319
  - CoreLok® procedure, 179–180
  - CoreLok® vacuum-sealing device, 181, 226
  - Core sampling, 460
  - Corrugations and shoving, 547–548
  - Counterflow drum-mixer flow, 341
  - Cracking and seating, on pavements, 687–688
    - on JCPG pavements, 689
  - Crack sealing/filling, 626–627
    - filling procedures, 585
    - materials, 583
    - purpose, 582–583
    - sealing procedures, 583–584
  - Creep stiffness, 54, 56
  - Creep testing, 232–234
  - Cross-arm viscometers, *see* Zeitfuchs cross-arm viscometer
  - Crude oil chemical composition, 23–24
  - Crude oil distillation process, 23
  - Crumb rubber modification, 89–90
  - Crumb-rubber modified-asphalt binder, 749
  - Crushed sand, 115
  - Crushed stone, 114–115, 123
  - “Crusher-run” aggregate, 115
  - Crushing, process of, 114, 117–118
  - CSX Transportation rail crossing, in northern Ohio, 738
  - Cutback asphalts, 9, 71–72
    - specifications for, 81–82
    - tests for, 78–81
  - Cyclone and baghouse, on drum-mix plant, 323
- D**
- Decibel or dB, defined, 746
  - Deep patching, 573–574
  - Degradation, 119
  - Deleterious substances, 130–132
  - Delivery, of HMA
    - material surge at paving site, 370–374
    - at paving site, 370
    - recording of, 374–375
    - using haul trucks, 366–370
    - visual inspection of, 375

Demulsibility test, 74  
Dense-graded aggregate mixtures, 709  
Dense-graded paving mixes, 162  
Density tests, 451  
Density-voids calculations, 173  
Direct tension test, 58  
Disintegration, of pavements, 550–551  
Distillation test, 76  
Distortions, in the pavement layer, 547–550  
Drainage, of the pavement structure, 629  
  design, 270–271  
  geotextiles as alternative designs, 278–279  
  rationale for, 270  
  subsurface  
    drainage related to frost action, 276–278  
    drainage schemes, 275–276  
    filter material and drain rock, 275  
    surface  
      design for large paved areas, 273–274  
      design for roadways, 271–273  
Drainage ditches, 272  
Drain rock, 275  
Drum-mix production process, 311–312  
  aggregate gradation control, 342–345  
  asphalt content control, 345–347  
  development of, 340–342  
  mixing/coating, 347–348  
  production problem-solving guide, 350–352  
  recycled mix production, 348–349  
Dryers, 319–322  
Dry-mix cycle, in batch production process, 311  
Dry sieving, 121  
DSR Repeated Creep Test, 93  
Ductile, defined, 56  
Ductility, 36–38  
Durability, of an asphalt pavement, 166  
Dust collection equipment, 322–325  
Dust palliatives, 589  
Dust-return equipment, 325–327  
Dynalect, 534  
Dynamic modulus test, 231

Dynamic shear rheometer (DSR), 49–53, 211  
Dynatest, 266

## E

Edge cracks, 543–545  
Effective asphalt content ( $P_{bc}$ ), 173  
  of a paving mixture, 183–184  
Effective specific gravity ( $G_{se}$ ), 129  
  of aggregate, 178–179  
Elastic modification, *see* Elastomers  
Elastic Recovery test, 89, 93  
Elastomers, 87  
Electro-negatively charged asphalt droplets, 9  
Electro-positively charged asphalt droplets, 9  
Elongation of geotextile at break, determination, 630  
Emulsified-asphalt, 9, 69–71, 667  
  content, 710  
  specifications for, 77–78  
  tests, 72–77  
  use, 72  
Emulsion-based process, 766–767  
End-result specifications, defined, 513  
Environmental applications, of asphalt fish hatcheries, 755  
  landfill caps, 756  
  water reservoir liners, 755–756  
Environmental control system, 59  
Equivalent Single Axle Loads (ESALs), 190  
Erratic density, 444  
Ethylene vinyl acetate (EVA), 89  
Expanded Shale, Clay, and Slate (ESCS), 116  
Extenders, 90  
Extraction, of aggregates, 117  
Extrusive rocks, 113  
Exudation pressure test, 259–260

## F

F. C. Field of the Asphalt Institute, 3  
Failure strain, 58  
Failure stress, 58  
Falling weight deflectometer (FWD), 534

- Fatigue cracking, 165, 615  
factor, 66–67
- Fatigue resistance, 164–165
- Fatty amidoamines, 91
- Feed-bin calibration process, 317
- Feed bins, for virgin aggregate, 317
- Feeders, 344
- Fiber additive equipment, 329
- Fine aggregate angularity (FAA), 466
- Fine-graded aggregates, 135
- Fine graded mix, 215
- Fines-return system, on drum-mix plant, 325–327
- Finished product storage silos and load-out equipment, 329–331
- Finish rolling, 440
- Fire point, 34
- Flash point, 27, 34
- Flexural fatigue test, 234–236
- Float Test, 70, 77
- Florida DOT procedure, 227–228
- Foamed asphalt, 667, 766
- Foaming mineral additives, 766
- Fog seals, 588
- Foliation, 113
- Force Ductility test, 89, 94
- Fractured-faces specifications, 465–466
- Fractured slab technique  
construction procedure, 689–692  
crack/break and seating of pavements, 687–688
- Free-fall compensation value, 336
- Free-movement plane construction, 752
- Freeze-thaw resistance, of an aggregate, 130
- Frost heaves and drainage system, 276
- Full-depth asphalt pavement, 15
- Full-depth patching, 573–576
- Full-depth Reclamation (FDR)  
asphalt stabilization, 667–669  
chemical stabilization, 666  
construction procedure, 669–672  
inspection, 674–675  
shaping and compaction procedures, 672–674
- Functional conditions, of a pavement  
pavement distress, 529–531  
ride quality, 531–532  
surface friction, 532–534
- G**
- Gap-graded aggregates, 135
- Gas-free distilled water, 175–176, 178
- Gate openings, in production process, 317
- Gear-type pumps, 594
- Geographic information systems (GIS), 525
- Georgia Loaded Wheel Tester (GLWT), 237
- Geotextiles  
as interlayers for HMA pavements, 629–633  
in subsurface drainage systems, 278–280
- Gilsonite deposit, 7, 91
- Glasphalt, 116
- Glass-like structure rocks, 113
- Gneisses, 113
- Grab tensile strength, of geotextile, 630
- Gradation blending calculations, 139–144
- Gravel, 113–114
- Gravities, for aggregates, 128–130
- Griptester, 533
- H**
- Hairline cracks, 582
- Hamburg Wheel-Tracking Device (HWTD), 237
- Handling and stockpiling, of aggregates, 118–119
- Harsh mixtures, 167
- High-float medium setting (HFMS) emulsions, 653
- High-tensile strains, 165
- “Highway class” vibratory rollers, 433
- HMA mixture sampling, 458–462
- Hot-air blasting procedure, 583
- Hot In-place Recycling (HIPR), 622  
categories, 642  
construction process, 644–649  
inspection, 649  
material evaluation, 643–644  
pavement assessment, 642
- Hot mix asphalt (HMA), 4, *see also specific topics*  
adoption of superwave mix design system, 163

aggregates for, *see* Aggregates, for  
hot mix asphalt (HMA) mixture  
classification, 161–162  
defined, 161  
evolution of, 162–163  
joint construction, *see* Joint  
construction, of HMA  
Hot-side rolling, 441–442  
Hubbard, Prévost, 3  
Hubbard-Field Method, 162  
Hubbard-Field test, 4  
Hveem, Francis, 4  
Hveem method, of asphalt refining, 4  
Hveem method, of mix design, 163  
description, 204–205  
design criteria, 205–209  
Hveem Stabilometer, 163, 205, 260  
Hydrated lime, 91, 655  
Hydraulic application, of asphalt  
asphalt seals, 732–733  
construction considerations, 730–733  
impermeable surface lining mixes,  
727–728, 730–732  
mix design requirements, 727–730  
Performance Grade (PG) of asphalt,  
728  
permeable surface lining mixes,  
728–730, 732  
porous drainage layers, 732  
sub-liner drainage layers, 730–732  
various uses, 724–727  
Hydrocarbon modifiers, 91  
Hydroplaning, 166

## I

Ideal velocity of flow, in a ditch, 273  
Igneous rocks, 113  
Independent assurance, 447  
Industrial floors, using asphalt, 751  
Inertial profilometers, 497–498  
In-place pavement sampling, 460  
Intelligent Compaction (IC), 433  
Interlayer techniques  
chip seals, 634  
construction procedure, 635  
functions of interlayers, 629  
inspection procedure, 636  
paving membranes, 633  
stress-absorbing membrane  
interlayer (SAMI), 634–635

strip interlayers, 633–634  
use of geotextiles, 629–633  
Interlocks, 123  
Intermediate rolling, 439  
Intrusive rocks, 113

## J

JILS, 266  
Job-mix control testing, 171  
Job-mix formula, 171  
quality-control and acceptance of,  
449–450  
verification, 476–477  
Joint construction, of HMA  
longitudinal joints, 401–403  
notched-wedge joints, 403  
during paving start-up procedures,  
399–401  
traverse or construction joints,  
398–399

## K

KENTRACK, 737  
Kinematic viscosity, 30  
test, 78  
Knockout box, on drum-mixer plant,  
323  
KUAB, 266

## L

Laboratory test methods  
California bearing ratio, 252–257  
resilient modulus ( $M_r$ ), 261–263  
resistance value (R-value), 257–261  
Leaching pads  
construction, 753–754  
design, 753  
materials, 753  
uses, 753  
Leveling courses, 432, 626  
Leveling wedges, 626  
Lifecycle cost analysis (LCCA), of  
pavements, 522  
Light steel-wheel rollers, 731  
Lime additive bulk storage and feed  
silos, 328  
Linear Variable Differential  
Transformers (LVDTs), 261

Linear viscoelastic (LVE) range, of material, 52  
 Liquid antistripping additives, 91  
 Liquid asphalt storage tanks, 313–315  
 Liquid limit (LL), 131, 250  
 Load-penetration test, 255–256  
 Longitudinal cracks, 545  
 Longitudinal joints, 441–442  
 Longitudinal streaking, 555  
 Los Angeles Abrasion test, 127–128, 187  
 Lottman method, 227  
 Low density polyethylene identified (LDPE), 89  
 Low-Energy Asphalt (LEA), 766  
 Low-temperature cracking, 165

## M

Marble, 113  
 Marshall, Bruce, 4  
 Marshall method, of asphalt refining, 4  
 Marshall method, of mix designing, 162  
   description, 198–201  
   design criteria, 201–203  
 Mechanical extraction tools, 117  
 Mechanistic Empirical Pavement Design Guide (MEPDG), for highways, 694  
 Medium-curing (MC) cutback asphalts, 71  
 Metamorphic rocks, 113  
 Method specifications, defined, 513  
 Micro-Deval test, 127  
 Micromilling process, 638  
 Micro PAVER pavement management system, 536  
 Microsurfacing, 12, 587  
   application procedure, 613  
   equipments for, 610–612  
   joints, 613  
   materials, 610  
   surface preparation, 613  
   weather limitations, 613  
 Mineral additives, 766  
 Mineral aggregates, 187  
 Mineral filler additive storage and feed silos, 327–328  
 Mix behavior, of HMA  
   air-voids, 168  
   asphalt content, 169–170  
   density, 167–168  
   voids filled with asphalt, 169  
   voids in mineral aggregates, 168–169  
 Mix deficiencies and causes, in batch production process  
   gradation shift/aggregates, 353  
   gradation shift/coarser on –200 mesh (75 micron) sieve, 353  
   gradation shift/finer on –200 mesh (75 micron) sieve, 351  
   high AC content, 354  
   high voids, 351  
   inadequate coating, 355  
   low AC content, 354  
   low air-voids, 354  
   temperature fluctuations, 355  
 Mix deficiencies and causes, in drum-mix production process  
   gradation shift/aggregates, 350  
   gradation shift/coarser on –200 mesh (75 micron) sieve, 351  
   gradation shift/finer on –200 mesh (75 micron) sieve, 351  
   high AC content, 351–352  
   high voids, 351  
   inadequate coating, 352  
   low AC content, 352  
   low air-voids, 351  
   temperature fluctuations, 352  
 Mix density, 167–168  
 Mix design  
   for bicycle/walking paths, desired properties for, 742–743  
 Cold In-Place Recycling (CIPR)  
   process, desired properties for, 656–657  
   durability, desired properties for, 166  
   fatigue resistance, desired properties for, 164–165  
   formula for, 178  
   low temperature cracking, desired properties for, 165  
   moisture resistance, desired properties for, 165–166  
   procedures for the design of open-graded friction courses, 224–227  
   race tracks, desired properties for, 758–759

resistance to permanent deformation, desired properties for, 164  
skid resistance, desired properties for, 166  
workability, desired properties for, 166–167

Mix Design Formula (MDF), 344

Mixed-polymer modification, 90

Mix pickup, 443

Mix selection  
dense graded mixes, 243–244  
determination of mix types, 244–245  
pavement layers and traffic levels, 242–243

Mixture compactability, 489–490

Moisture damages, in HMA pavements, 165–166

Moisture susceptibility test, 196

Molten materials (magma), 113

MS-17 manual, 541, 622

Multihead Breaker (MHB), 697–698

Multiple-stress creep-recovery (MSCR) test, 93, 96

Multi-unit train, 660

## N

National Center for Asphalt Technology (NCAT), 747

National Institute for Certification of Engineering Technicians (NICET), 449

National Voluntary Laboratory Accreditation Program (NVLAP), 449

Natural asphalts, 7

Negative weigh pod system, 326

Network-level analysis, of pavements, 526

Newtonian fluids, 44

Noise reduction, using asphalts  
nature of noise, 746–747  
noise characteristics of HMA pavements, 747–749

Nondestructive testing (NDT), 529

Non-ionic emulsions, 70

Nonwoven geotextile specifications, for pavements, 630

## O

“Ointment” or “cigar” tube test, 92

Open-graded cold mixes, 708

Open-Graded Friction Course (OGFC), 11, 329, 748–749  
description and usage, 223–224  
mix design characteristics and procedures, 224–228

Open-graded mixes, 135, 162

Organic wax-like additives, 766

Overlay selection, for pavements  
alternatives for, 623  
construction feasibility, 622  
pavement condition, 622  
performance, 624–625

Oxidants, 90

Oxidative hardening, 46

## P

Parallel-flow drum-mixer flow, 341

Parallel-flow dryers, 340

Particle charge test, 75

Patcher truck, 576

Patching  
full-depth (deep) patching, 573–576  
materials, 573  
spray injection patching, 580–581  
surface patches, 576–580

Pat Test, 162

Paved shoulders, 272

Pavement condition index, 538

Pavement deflection testing, 534

Pavement deterioration, 542

Pavement distress surveys  
approaches, 539–541  
types of distress, 541–557

Pavement maintenance, asphalt in asphalt surface treatment, 587–614  
corrective maintenance, 571–572  
crack sealing/filling, 582–585  
emergency maintenance, 572  
guidance maintenance procedures, 616  
patching, 573–581  
preventive maintenance, 571  
thin overlays, 615

Pavement management  
analysis module, 524–525  
components, 523–525

- concept, 521–523
- database, 524
- evaluation of functional condition of
  - a pavement, 529–533
  - network-level analysis, 526
  - project-level analysis, 526
  - reporting tools, 525
  - role in pavement preservation, 527–528
  - strategic-level analysis, 526
  - structural characteristics and evaluation, 534–535
  - use of information, 536–538
- Pavement performance models, 525
- Pavement preservation program
  - development of a program, 559
  - guidelines for treatments, 562
  - maintenance and rehabilitation treatments, 563
  - need estimation, 559
  - prioritizing project needs, 563–565
  - selection of appropriate treatments, 560–561
  - setting goals, 559
  - success of, 565–566
  - use of pavement management, 558
- Pavement rehabilitation
  - CIPR process, 655–665
  - cold milling, 637–641
  - cold-mix recycling, 652–654
  - considerations in overlay selection, 621–625
  - crack filling/sealing, 626–627
  - drainage problems, 629
  - FDR process, 666–675
  - HIPR, 642–649
  - interlayer techniques, 629–636
  - leveling of courses, 626
  - patching techniques before placing overlay, 626
  - tack coat application, 627
  - widening of pavements, 628–629
- Pavements, of asphalt
  - basic concepts, 13–14
  - base and subbase layers, 15
  - stage construction, 16–17
  - surface course, 14–15
  - thickness, 15–16
  - using cold-laid asphalt mixture, 706
- Pavement smoothness, 492, 496
- Paving equipment
  - asphalt paving machine, 377–379
  - automated screed controls, 388–392
  - free-floating screed, 392–396
  - fumes control system, 396
  - screed observation system, 396–397
  - screeds, 381–388
  - types of tractors, 379–381
- Paving fundamentals, *see also* Pavement rehabilitation; Paving equipment
  - asphalt distributor, 365
  - delivery of HMA, *see* Delivery, of HMA
  - foreman's/inspector's check sheet, 411–412
  - hand-spreading operations, 404
  - horizontal and vertical grade control, 362–363
  - preparation of existing pavement for overlay, 362
  - pre-paving conference, 359
  - prime coats, 363–364
  - supplemental operations and appurtenances, 404–410
  - surface preparation and protection, 360–362
  - tack coats, 364–365
- Paving mixture data, 174
- Paving mixtures, for cold-laid pavements
  - aeration/spreading/compaction, 720–722
  - blade mixing, 715–716
  - rollers suitable for, 723
  - rotary mixing, 716–717
  - stationary mixing facilities, 719
  - travel-plant mixing, 717–719
- Pay reduction factors, for HMA production, 509–512
- Pen asphalt binder, 40
- Penetration-Graded Specification, 40, 42
- Penetration tests, 84–85
- Penetrometer, 32–33
- Percent Within Limits (PWL), 506
- Performance-based specifications, of HMA, 513–515
  - defined, 514
  - warranties, 516–517

- Performance Graded (PG) asphalt binders, 198
  - Performance specifications, defined, 513–514
  - Permanent deformation, 164
  - Petroleum asphalt, 7
    - flow chart, 25
    - properties or characteristics of, 26–27
    - refining process, 23–26
  - Petroleum pitches, 23
  - PG asphalt binder specification
    - advantages, 63–64
    - assumptions, 65
    - performance measures, 65–68
  - PG asphalt binder tests
    - aging procedures, 60–63
    - bending beam rheometer, 53–56
    - direct tension tester, 56–60
    - dynamic shear rheometer (DSR), 49–53
    - rotational viscometer, 47–49
  - PG 58–28 binder, 743
  - PG 64–22 binder, 743
  - PG 64–28 binder, 743
  - Phoenix, 266
  - Physical hardening, 47
  - Pit or bank-run materials, 113–114
  - Placement quality-control
    - compaction control methods, 486–489
    - mixture compactability, 489–490
    - pavement smoothness, 492
    - temperature, 483–485
    - thickness and spread rates, 490–492
  - Plant sampling, 458–459
  - Plasticity index (PI), 131, 250
  - Plastic modification, *see* Plastomers
  - Plastomers, 89
  - Plate sampling, 462
  - Pneumatic hammer, 579
  - Pneumatic rollers, 632–633, 646, 751
  - Pneumatic-tire rollers, 427–429, 602
  - Polished aggregates, 554
  - Polyamines, 91
  - Polyethylene, 86
  - Polyethylene tubing, 696
  - Polymer modified asphalts (PMAs), 11, 86
    - binder, 164
  - Polyolefin polymers, 87, 89
  - Polyphosphoric acid (PPA), 90
  - Pore structure, of an aggregate, 128
  - Porosity, of aggregates, 128
  - Porous asphalt pavement
    - construction, 763
    - design principles, 761–763
    - maintenance, 763
  - Portable silos, 330
  - Portland cement, 655, 662
  - Portland cement concrete (PCC) pavement, 545
  - Potholes, 550–551
  - Power gradation curve, 136–139
  - Power sweepers or brooms, 587, 600
  - Pressure Aging Vessel (PAV), 60
  - Production processes
    - batch facilities, *see* Batch production process
    - drum-mix facilities, *see* Drum-mix production process
  - Profilographs, 497
  - Project-level analysis, of pavements, 526
  - Proofrolling, 626
  - Propane deasphalting (PDA), 26
  - Pugmill mixer, 648
  - Pulverization, of the existing pavement, 669–672
  - Pycnometer, 39
- Q**
- Quality assurance, 447
  - Quality control, of plant production
    - job mix formula, 476–477
    - mixture control, 477–481
    - plant adjustments, 481–482
  - Quality-control and acceptance, of HMA
    - definitions, 447–449
    - job-mix formula (JMF), 449–450
    - “performance-based” specifications, 513–515
    - selection of sampling methods and frequency, 470–471
    - selection of testing methods, 471–472
    - testing criteria, 448
    - test strip, 474–475
    - written plan for, 472–474
  - Quarried aggregates, 114–115

Quarry stone, 117  
 Quick Set Slurry Seal systems, 72  
 Quick-setting (QS) asphalt emulsion,  
 606

## R

Racetracks, with HMA  
 aggregate in, 758  
 asphalt binder in, 758  
 characteristics of tracks, 757  
 construction practices, 759–760  
 drainage, 758  
 materials required, 758–759  
 tack coat application, 760  
 test tracks, 757  
 Railway track beds, HMA in  
 benefits and applications in  
 underlayment, 735–736  
 installation, 737–739  
 prevailing design practices, 736–737  
 Random sampling techniques, 453–454  
 Rapid-curing (RC) cutback asphalts, 71  
 Rapid-setting (RS) emulsions tests, 74  
 Raveling, 551  
 Reclaimed (or recycled) asphalt  
 pavement (RAP), 91, 637  
 mix design, 213–214  
 materials evaluation, 210–213  
 processing, 147–148  
 sampling and testing, 149–151  
 stockpiling, 148–149  
 Recycled glass, 116  
 Reference density specifications, 503  
 Reflection cracking, 545, 629, 679–681  
 on asphalt pavements, 625  
 fractured slab techniques for, 687–692  
 rubblization process, 693–700  
 saw-and-seal application, 682–686  
 Reflection cracks, 547  
 Rejuvenators, 589  
 Remaining service life (RSL), 537  
 Repaving, in HIPR process, 646–647  
 Representative sampling, 451–453  
 Residue tests, for emulsified asphalt  
 grades, 80–81  
 Resilient modulus (Mr), 261–263  
 test, 231–232, 269  
 Resistance value (R-value), 257–261  
 Resonant Pavement Breaker (RPB),  
 696–697

Response Type Road Roughness  
 Measuring (RTRRMS) systems, 497  
 Ride quality, 496  
 Ring-and-ball softening point test,  
 83–84  
 Rock quarry excavation, 114  
 Rocks, 111–113  
 Roller marks, 444  
 Rollers, 599  
 Rolling edges, 442  
 Rolling thin film oven (RTFO), 211  
 Rolling Thin Film Oven Test (RTFOT),  
 35–36, 60  
 Roof deck parking  
 bonding roof deck and pavement,  
 752  
 free-movement plane construction,  
 752  
 Roofings, of asphalt  
 history, 744  
 types of, 744–745  
 ROSE unit asphaltenes, 91  
 Rotary mixing, for cold-laid pavements,  
 716–717  
 Rotational viscometer, 47–49  
 Rotavapor procedure, 211  
 Rounded boulders and pebbles, 114  
 Rubberized asphalt adhesive, 633  
 Rubber-tire rollers, *see* Pneumatic-tire  
 rollers  
 Rubblization  
 construction, 694–700  
 design considerations, 693–694  
 project selection and overview, 693  
 specification criteria and inspection,  
 700  
 Running tracks, in asphalt, 740  
 Rutting, 536, 548  
 R-value test (ASTM D 2844), 258

## S

SAAB Friction Tester, 533  
 Sampling, of hot mix asphalt  
 aggregate method, 454–458  
 asphalt binder, 463  
 mixture, 458–462  
 random, 453–454  
 representative, 451–453  
 Sand, 113–114  
 Sandblasting, 583

- Sand-emulsion plant mixes, 710
- Sand-equivalent test, 131
- Sand seal, 614
- Sandy soil mixtures, 114
- Saturated surface-dry (SSD) mass, 180
- Saw-and-seal, in prevention of reflection cracks
  - construction, 683–686
  - design considerations, 683
- Saybolt Furol viscosity test, 72–73
- Schists, 113
- Scratch courses, 626
- Screening, of aggregates, 118
- Screenless mixing, 333
- Scrubber, on drum-mix plant, 324
- Seal rollers, *see* Pneumatic-tire rollers
- Sedimentary deposits, features of, 111
- Sedimentary rocks, 111
- Segregation, 119
- Self-propelled pneumatic-tire roller, 427, 599
- Self-propelled spreader, 597
- Settlement or grade depressions, 548
- Shear modulus test, 230–231
- Shear Rate Changes, of asphalt binder, 45
- Sideways-Force Coefficient Routine Investigation Machine (SCRIM), 533
- Sieve test, 75–76
- Silt fraction, 113
- Single-unit train, 659
- Skid hazards, 551–554
- Skid resistance, 166
- Slag, 116
- Slate, 113
- Slippage cracks, 547
- Slotted or z-wire screens, 335
- Slow-curing (SC) cutback asphalts, 71
- Slurry seal, 12, 587
  - construction process, 607–609
  - materials, 605–606
  - mix design, 606
- Slurry seal machine, 607
- Soil strength/stiffness, testing of
  - field test procedures
    - using Dynamic Cone Penetrometer (DCP), 263–266
    - using falling weight deflectometer (FWD), 266–268
  - laboratory test methods
    - California bearing ratio, 252–257
    - resilient modulus (Mr), 261–263
    - resistance value (R-value), 257–261
    - routine tests, 253
    - strength correlations, 269
- Soil-subgrade classification systems
  - AASHTO system, 249–250
    - rationale for, 249
  - USCS system, 249–250
- Solubility test, 38, 92
- Solvent deasphalting (SDA), 26
- Specific gravity, of an asphalt binder, 39
- SP-2 manual, 188–189, 192
- Spray-applied seal, 12, 587
- Sprayed asphalt sealers, 732
- Spray-injection patching, 580
- Stabilometer, 204
- Standard paving machine, 648
- Static steel-wheel rollers, 438
- Stationary mixing, for cold-laid pavements, 719
- Steam release, in bucket-elevator method, 339
- Steel loading strips, 197
- Steel-wheel rollers, 426–427
  - bridge, 599
- Stockpile sampling techniques, 454–455
- Stone matrix asphalt (SMA) mixtures, 11, 162, 215, 329, 748
  - draindown test, 221–222
  - material selection, 218–219
  - mix design, 217–218
  - selection of desired gradation, 219–221
- Stone-on-stone contact, determination of, 220
- Storage facilities, in plant automation
  - finished product, 329–331
  - lime additive bulk, 328
  - liquid asphalt, 313–315
  - mineral filler additive, 327–328
- Storage silos, 329
- Storage stability and settlement tests, 73–74
- Straightedge measurements, 497
- Strategic Highway Research Program (SHRP), 4, 163
- Strategic-level analysis, of pavements, 526

- Stress-absorbing membrane interlayer (SAMI), 634–635
  - Strip interlayers, 633–634
  - Stripping, 165
  - Styrene-butadiene copolymers, 87
  - Styrenebutadiene (SB), 87
  - Styrene-butadiene-styrene (SBS), 87
  - Styrenic polymers, 87
  - Subsurface drainage
    - drainage related to frost action, 276–278
    - drainage schemes, 275–276
    - filter material and drain rock, 275
  - Subsurface *see* page, 274
  - Subsurface water, 274–276
  - Sulfate soundness test, 130
  - Superpave Gyrotory Compactive effort, 191
  - Superpave Gyrotory Compactor (SGC), 189, 237
  - Superpave (SUPERior PERforming Asphalt PAVements) system
    - aggregate structure, design of, 188–194
    - design asphalt binder content, 194
    - design to adjust properties, 194–196
    - material selection, 186–188
    - moisture sensitivity, 196–197
  - Superpave system, 8
  - Surface drainage, design
    - for large paved areas, 273–274
    - for roadways, 271–273
  - Surface friction, 532
  - Surface patches, 579
  - Surface recycling, in HIPR process, 644–646
  - Surface runoff, 271
  - Surface treatments, with asphalt, 12
  - SW-2 computer program, 140
  - Synthetic and lightweight aggregates, 115–116
- T**
- Tachometer, 595, 599
  - Tack coat application, in hydraulic construction, 731
  - Tag Open Cup Flash Point test, 78, 81
  - Temperature control, in HMA operations, 468–469, 483
  - Temperature-volume relationship
    - density and specific gravity, 102–103
    - specific gravity calculations, 104
    - tank measurements, 104–105
  - Tennis court, in asphalt, 741–742
  - Testing methods, of HMA, 170–171
    - aggregate gradation, 464–465
    - air-voids, 468
    - asphalt content, 466–467
    - bulk specific gravity of mixtures, 467–468
    - creep test, 232–234
    - empirical tests, 236
    - flexural fatigue test, 234–236
    - fractured faces and aggregate angularity, 465–466
    - goal, 464
    - modulus test, 230–232
    - temperature, 468–469
    - theoretical specific gravity of mixtures, 467
    - wheel-tracking tests, 237–241
  - Tests, for asphalt cement
    - aging, 34–36
    - ductility, 36–38
    - flash point, 34
    - penetration, 32–34
    - solubility, 38
    - specific gravity, 39
    - viscosity, 28–32
  - Test strip, 434
    - for quality control, 474–475
  - Thermal cracking, 67–68
  - Thermoplastics, 86
  - Thermosets, 87
  - Thicker lifts, 432
  - Thickness design, for pavements
    - acceptance level, 496
    - airports, 291–293
    - design principles, 284–287
    - empirical design methods, 297
    - heavy wheel loads, 293–295
    - highways, roadways and streets, 289–291
    - input variables, 287–289
    - manuals and software, 302–305
    - mechanistic-empirical design methods, 297–298
    - overlay design, 295–296
    - perpetual pavement methods, 298–301

- planned stage construction, 295
- quality-control testing for, 490–491
- Thin Film Oven Test (TFOT), 35
- Thin overlays, 615
- Toughness, of aggregates, 126–128
- Toughness and Tenacity test, 89, 96
- Trackbed designs, with HMA, 735–739
- Transverse cracks, 545
- Transverse joints, 440–441
- Transverse streaking, 555
- Travel-plant mixing, for cold-laid pavements, 717–719
- Trinidad Lake Asphalt (TLA), 7, 91
- Truck-mounted mechanical spreaders, 597
- Truck sampling, 459
- Tungsten carbide milling teeth, 638–639
- Twin-shaft pugmill mixer, 337
- Two-unit train, 659–660

## U

- Unitized dryer/mixer, 340, 342
- Upheaval or swell, 548–550
- Utah Department of Transportation (UDOT), 522

## V

- Vacuum distillation, 23
- Variable-speed belt feeds, 317
- Vibratory rollers, 429–431
- Vibratory steel-wheel rollers, 731
- Viscometers, 28–32
- Viscosity test, 42
- Voids, significance of, 126
- Voids filled with asphalt (VFA), 169, 172
  - adjustments, for changing properties, 196
- Voids in the mineral aggregate (VMA), 168–169, 172
  - adjustments, for changing properties, 194
  - in compacted paving mixture, 184
- Volatilization, 46
- Volumetric calculations
  - acceptance of, 494
  - analysis of paving mixtures
  - air-voids, 184–185

- apparent specific gravity, 175
- asphalt absorption, 181–183
- bulk specific gravity, 175, 179–181
- effective specific gravity, 178–179
- gravity for the aggregate
  - combination, 176
  - maximum specific gravity of the HMA mixture, 176–178
  - percent of voids filled with asphalt (VFA), 185
  - percent of voids in mineral aggregates, 184
- definitions, 172–173

## W

- Warm mix asphalt pavements
  - benefits, 765
  - technology, 765–767
- Warranties, 516–517
- Washboarding, 547–548
- WASHO Road Test, 535
- Water-displacement procedure (AASHTO T 166 or ASTM D 2726), 181
- Water-spray systems, 439
- Wearing course, 664
- Weathering, 551
- Weathering resistance, 130
- Weigh-hopper method, 338–339
- Well-graded aggregates, 135
- Wet-mix cycle, in batch production process, 311
- Wet washers, on drum-mixer plant, 322
- Widening, of pavements, 628–629
- Windrow sampling, 460
- Workability, of paving mixture, 166–167

## X

- Xylene, 79

## Z

- Zeitfuchs cross-arm viscometer, 30
- Ziggarats, 3